

Tecnologia ed  
inventiva italiane  
al servizio delle  
macchine a CNC

Italian technology  
and innovation for  
CNC machines

Mole diamantate  
Diamond wheels

## BORDATURA FG60 FG60 PROFILING

**100%**  
italiano  
Italian Made

### XT0-1

Pos. 0 - 1



### XT1-2

Pos. 2



### XT3

Pos. 3



### XT4-5-6

Pos. 4, 5 & 6



PATENTED



Gli utensili sono l'espressione più ampia delle capacità progettuali e dell'innovazione tecnica portate dalla XTRA in questo settore. Gli utensili ad inserti sinterizzati intercambiabili e le lucidanti a struttura semirigida TRUELIFE XT, ne sono l'esempio.

E' stata creata una gamma articolata di utensili di precisione per la profilatura, la rettifica, la levigatura e la lucidatura di marmi e graniti. Oggi l'utensile XTRA è diventato sinonimo di **qualità, affidabilità, durata ed economicità** in tutto il mondo. Ed è per soddisfare le continue richieste di un mercato in continua evoluzione, che è stata creata una linea di utensili dedicata per macchine CNC.

The tools are the expression of the projectual skill and the technological improvement brought by XTRA in this field. Tools with interchangeable sectors and the semirigid polishing wheels TRUELIFE XT are an example of it. Our task is to optimize our machines' outputs and performances: for this reason we have realized a great range of tools to grind, to rectify and to polish marble and granite. Today, XTRA's tool is a byword for **quality, reliability, long life and inexpensiveness** all over the world. To full satisfy the demands of a changing market, we decided to create a line of tools dedicated to CNC Machines.









**MOLE SAGOMATE PER MARMO GRANITO E SINTETICI FONDO GOLLA 60**  
**PROFILE CNC WHEELS FOR MARBLE GRANITE AND SINTHETIC BOTTON RELIEF 60**

**INDICE / INDEX**

| PROFILO<br>PROFILE                                                                       | SPESSORE / THICKNESS                            |                                                               |                                                               |        |        |        | 100 mm |
|------------------------------------------------------------------------------------------|-------------------------------------------------|---------------------------------------------------------------|---------------------------------------------------------------|--------|--------|--------|--------|
|                                                                                          | 20 mm                                           | 30 mm                                                         | 40 mm                                                         | 50 mm  | 60 mm  | 80 mm  |        |
| 2G      | pg. 41                                          | pg. 5                                                         |                                                               |        |        |        |        |
| 3G      | pg. 6                                           | pg. 7                                                         |                                                               |        |        |        |        |
| A       | r3 pg. 8<br>r 5 pg. 9<br>r10 pg.10<br>r15 pg.11 | r3 pg.12<br>r 5 pg. 13<br>r10 pg.14<br>r15 pg.15<br>r20 pg.16 | r3 pg.17<br>r 5 pg. 18<br>r10 pg.19<br>r15 pg.20<br>r20 pg.21 | pg. 22 | pg. 23 | pg. 14 |        |
| ACL     |                                                 | r10 pg.25<br>r15 pg.26                                        |                                                               |        |        |        |        |
| B       | pg. 17                                          | pg. 28                                                        | pg. 29                                                        |        |        |        |        |
| BCL    |                                                 | pg. 30                                                        |                                                               |        |        |        |        |
| CD    | pg. 31                                          | pg. 32                                                        | pg. 33                                                        |        | pg. 34 | pg. 35 | pg.36  |
| CD1S  | pg. 37                                          | pg.38                                                         | pg. 39                                                        |        |        |        |        |
| CD2S  | 5 pg. 40<br>3 pg. 41                            | 5 pg. 42<br>3 pg. 43                                          | 5 pg. 44<br>3 pg. 45                                          |        |        |        |        |
| D     | pg. 46                                          | pg. 47                                                        | pg. 48                                                        |        |        |        |        |
| E     | pg. 49                                          |                                                               | pg. 50                                                        |        |        |        |        |


**MOLE SAGOMATE PER MARMO GRANITO E SINTETICI FONDO GOLA 60**  
**PROFILE CNC WHEELS FOR MARBLE GRANITE AND SINTHETIC BOTTON RELIEF 60**

**INDICE / INDEX**

| PROFILO<br>PROFILE                                                                     | SPESSORE / THICKNESS                |                                      |                                                    |         |         |         |
|----------------------------------------------------------------------------------------|-------------------------------------|--------------------------------------|----------------------------------------------------|---------|---------|---------|
|                                                                                        | 20 mm                               | 30 mm                                | 40 mm                                              | 50 mm   | 60 mm   | 80 mm   |
| F     | pg. 41                              | pg. 52                               | pg. 53                                             |         |         |         |
| FCD   | pg. 54                              | pg. 55                               | pg. 56                                             |         |         |         |
| FV    |                                     | pg. 57                               |                                                    |         |         |         |
| FCL   |                                     | pg. 58                               |                                                    |         |         |         |
| G     | pg. 59                              | pg. 60                               |                                                    |         |         |         |
| H     | pg. 61                              | pg. 62<br>r25pg. 64                  | pg. 63                                             |         |         |         |
| I     | pg. 65                              | pg. 66                               | pg. 67                                             |         |         |         |
| L   | pg. 68                              | pg. 69                               | pg. 70                                             | pg. 71  | pg. 72  |         |
| M   | pg. 73                              | pg. 74                               | pg. 75                                             |         |         |         |
| N   | pg. 76                              | pg. 77                               | pg. 78                                             |         |         |         |
| O   | pg. 79                              | pg. 80                               | pg. 81                                             |         |         |         |
| Q   | pg. 82                              | pg. 83                               |                                                    |         |         |         |
| RM  |                                     | pg. 84                               | pg. 85                                             |         |         |         |
| T   | r3 pg. 86<br>r5 pg. 87              | r3 pg. 88<br>r5 pg. 89<br>r10 pg. 90 | r3 pg. 91<br>r5 pg. 92<br>r10 pg. 93<br>r15 pg. 94 |         |         |         |
| V   | 20 pg. 95<br>25 pg. 96<br>27 pg. 97 | 30 pg. 98<br>32 pg. 99               | pg. 100                                            | pg. 101 | pg. 102 | pg. 103 |
| Z   | pg. 104                             | pg. 105                              | pg. 106                                            |         |         |         |

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO 2G20 R10 SP 20**

|              |     |                                                                                   |
|--------------|-----|-----------------------------------------------------------------------------------|
| <b>D.MAX</b> | 104 |  |
| <b>D.MIN</b> | 60  |                                                                                   |
| <b>H</b>     | 42  |                                                                                   |
| <b>R</b>     | 10  |                                                                                   |
|              |     |                                                                                   |
|              |     |                                                                                   |

**FORO STANDARD 35mm/STANDARD BORE 35mm**

**1 inch = 25,4 mm**

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|              |      |                                                                                 |
|--------------|------|---------------------------------------------------------------------------------|
| XT-2G20C0G   | 0G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-2G20C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|              |      |                                                                                 |
|--------------|------|---------------------------------------------------------------------------------|
| XT-2G20C1G   | 1G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-2G20C1SSG | 1SSG | settori <b>SALDATI / WELDED</b> segments                                        |
| XT-2G20C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-2G20C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-2G20C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|             |     |                                                                                 |
|-------------|-----|---------------------------------------------------------------------------------|
| XT-2G20C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-2G20C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-2G20EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|             |   |                                                                            |
|-------------|---|----------------------------------------------------------------------------|
| XT-2G20TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-2G20TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-2G20TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**SETTORI DI RICAMBIO / REPLACEMENT SEGMENT**

|                |    |                                                                |
|----------------|----|----------------------------------------------------------------|
| XT-SETT2G20C0G | 0G | Settori di ricambio per Pos. 0G / Replacement segments Pos. 0G |
| XT-SETT2G20C1G | 1G | Settori di ricambio per Pos. 1G / Replacement segments Pos. 1G |

**COME SCEGLIERE IL KIT GIUSTO / HOW TO CHOOSE THE RIGHT KIT**

**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

Kit granito e marmo : Pos. C0G,C1G,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO 2G30 R15 SP 30**

|              |     |
|--------------|-----|
| <b>D.MAX</b> | 125 |
| <b>D.MIN</b> | 60  |
| <b>H</b>     | 42  |
| <b>R</b>     | 15  |
|              |     |
|              |     |
|              |     |
|              |     |
|              |     |
|              |     |

**FORO STANDARD 35mm/STANDARD BORE 35mm**

1 inch = 25,4 mm

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|              |      |                                                                                 |
|--------------|------|---------------------------------------------------------------------------------|
| XT-2G30C0G   | 0G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-2G30C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|              |      |                                                                                 |
|--------------|------|---------------------------------------------------------------------------------|
| XT-2G30C1G   | 1G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-2G30C1SSG | 1SSG | settori <b>SALDATI / WELDED</b> segments                                        |
| XT-2G30C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-2G30C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-2G30C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|             |     |                                                                                 |
|-------------|-----|---------------------------------------------------------------------------------|
| XT-2G30C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-2G30C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-2G30EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUETIME / POLISHING WHEELS TRUETIME**

|             |   |                                                                            |
|-------------|---|----------------------------------------------------------------------------|
| XT-2G30TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-2G30TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-2G30TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**SETTORI DI RICAMBIO / REPLACEMENT SEGMENT**

|                |    |                                                                |
|----------------|----|----------------------------------------------------------------|
| XT-SETT2G30C0G | 0G | Settori di ricambio per Pos. 0G / Replacement segments Pos. 0G |
| XT-SETT2G30C1G | 1G | Settori di ricambio per Pos. 1G / Replacement segments Pos. 1G |

**COME SCEGLIERE IL KIT GIUSTO / HOW TO CHOOSE THE RIGHT KIT**

**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6


**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo SALDATO : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

Kit granito e marmo INTERCH. : Pos. C0G,C1G,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO 3G20 R6 SP 20**

|              |     |                                                                                   |
|--------------|-----|-----------------------------------------------------------------------------------|
| <b>D.MAX</b> | 105 |  |
| <b>D.MIN</b> | 60  |                                                                                   |
| <b>H</b>     | 42  |                                                                                   |
| <b>R</b>     | 6,5 |                                                                                   |
|              |     |                                                                                   |
|              |     |                                                                                   |

**FORO STANDARD 35mm/STANDARD BORE 35mm**

**1 inch = 25,4 mm**

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|              |      |                                                                                 |
|--------------|------|---------------------------------------------------------------------------------|
| XT-3G20C0G   | 0G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-3G20C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|              |      |                                                                                 |
|--------------|------|---------------------------------------------------------------------------------|
| XT-3G20C1G   | 1G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-3G20C1SSG | 1SSG | settori <b>SALDATI / WELDED</b> segments                                        |
| XT-3G20C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-3G20C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-3G20C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|             |     |                                                                                 |
|-------------|-----|---------------------------------------------------------------------------------|
| XT-3G20C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-3G20C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-3G20EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|             |   |                                                                            |
|-------------|---|----------------------------------------------------------------------------|
| XT-3G20TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-3G20TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-3G20TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**SETTORI DI RICAMBIO / REPLACEMENT SEGMENT**

|                |    |                                                                |
|----------------|----|----------------------------------------------------------------|
| XT-SETT3G20C0G | 0G | Settori di ricambio per Pos. 0G / Replacement segments Pos. 0G |
| XT-SETT3G20C1G | 1G | Settori di ricambio per Pos. 1G / Replacement segments Pos. 1G |

**COME SCEGLIER IL KIT GIUSTO / HOW TO CHOOSE THE RIGH KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

Kit granito e marmo : Pos. C0G,C1G,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO 3G30 R10 SP 30**

|                                              |     |  |
|----------------------------------------------|-----|--|
| <b>D.MAX</b>                                 | 126 |  |
| <b>D.MIN</b>                                 | 60  |  |
| <b>H</b>                                     | 42  |  |
| <b>R</b>                                     | 10  |  |
|                                              |     |  |
|                                              |     |  |
|                                              |     |  |
| <b>FORO STANDARD 35mm/STANDARD BORE 35mm</b> |     |  |

1 inch = 25,4 mm

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|              |      |                                                                                 |
|--------------|------|---------------------------------------------------------------------------------|
| XT-3G30C0G   | 0G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-3G30C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|              |      |                                                                                 |
|--------------|------|---------------------------------------------------------------------------------|
| XT-3G30C1G   | 1G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-3G30C1SSG | 1SSG | settori <b>SALDATI / WELDED</b> segments                                        |
| XT-3G30C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-3G30C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-3G30C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|             |     |                                                                                 |
|-------------|-----|---------------------------------------------------------------------------------|
| XT-3G30C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-3G30C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-3G30EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|             |   |                                                                            |
|-------------|---|----------------------------------------------------------------------------|
| XT-3G30TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-3G30TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-3G30TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**SETTORI DI RICAMBIO / REPLACEMENT SEGMENT**

|                |    |                                                                |
|----------------|----|----------------------------------------------------------------|
| XT-SETT3G30C0G | 0G | Settori di ricambio per Pos. 0G / Replacement segments Pos. 0G |
| XT-SETT3G30C1G | 1G | Settori di ricambio per Pos. 1G / Replacement segments Pos. 1G |

**COME SCEGLIERE IL KIT GIUSTO / HOW TO CHOOSE THE RIGHT KIT**

**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6


**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

Kit granito e marmo : Pos. C0G,C1G,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO A20 R3 SP 20**

|              |    |                                                                                   |
|--------------|----|-----------------------------------------------------------------------------------|
| <b>D.MAX</b> | 74 |  |
| <b>D.MIN</b> | 60 |                                                                                   |
| <b>H</b>     | 42 |                                                                                   |
| <b>R</b>     | 3  |                                                                                   |
|              |    |                                                                                   |
|              |    |                                                                                   |
|              |    | <b>FORO STANDARD 35mm/STANDARD BORE 35mm</b>                                      |
|              |    | <b>1 inch = 25,4 mm</b>                                                           |

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|               |      |                                                                |
|---------------|------|----------------------------------------------------------------|
| XT-A20R3C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments |
|---------------|------|----------------------------------------------------------------|

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|               |      |                                                                                 |
|---------------|------|---------------------------------------------------------------------------------|
| XT-A20R3C1SSG | 1SSG | settori <b>SALDATI / WELDED</b> segments                                        |
| XT-A20R3C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-A20R3C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-A20R3C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|              |     |                                                                                 |
|--------------|-----|---------------------------------------------------------------------------------|
| XT-A20R3C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-A20R3C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-A20R3EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|              |   |                                                                            |
|--------------|---|----------------------------------------------------------------------------|
| XT-A20R3TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-A20R3TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-A20R3TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**COME SCEGLIER IL KIT GIUSTO / HOW TO CHOOSE THE RIGH KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**


Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO A20 R5 SP 20**

|              |    |                                                                                   |
|--------------|----|-----------------------------------------------------------------------------------|
| <b>D.MAX</b> | 74 |  |
| <b>D.MIN</b> | 60 |                                                                                   |
| <b>H</b>     | 42 |                                                                                   |
| <b>R</b>     | 5  |                                                                                   |
|              |    |                                                                                   |
|              |    |                                                                                   |

**FORO STANDARD 35mm/STANDARD BORE 35mm**

1 inch = 25,4 mm

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|               |      |                                                                       |
|---------------|------|-----------------------------------------------------------------------|
| XT-A20R5C0SSG | 0SSG | settori sinterizzati <b>SALDATI</b> / <b>WELDED</b> sintered segments |
|---------------|------|-----------------------------------------------------------------------|

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|               |      |                                                                                 |
|---------------|------|---------------------------------------------------------------------------------|
| XT-A20R5C1SSG | 1SSG | settori <b>SALDATI</b> / <b>WELDED</b> segments                                 |
| XT-A20R5C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-A20R5C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-A20R5C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|              |     |                                                                                 |
|--------------|-----|---------------------------------------------------------------------------------|
| XT-A20R5C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-A20R5C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-A20R5EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|              |   |                                                                            |
|--------------|---|----------------------------------------------------------------------------|
| XT-A20R5TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-A20R5TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-A20R5TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**COME SCEGLIER IL KIT GIUSTO / HOW TO CHOOSE THE RIGH KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO A20 R10 SP 20**

|              |    |
|--------------|----|
| <b>D.MAX</b> | 84 |
| <b>D.MIN</b> | 60 |
| <b>H</b>     | 42 |
| <b>R</b>     | 10 |
|              |    |
|              |    |
|              |    |
|              |    |



**FORO STANDARD 35mm/STANDARD BORE 35mm**

1 inch = 25,4 mm

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-A20C0G   | 0G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-A20C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-A20C1G   | 1G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-A20C1SSG | 1SSG | settori <b>SALDATI / WELDED</b> segments                                        |
| XT-A20C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-A20C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-A20C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|            |     |                                                                                 |
|------------|-----|---------------------------------------------------------------------------------|
| XT-A20C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-A20C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-A20EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|            |   |                                                                            |
|------------|---|----------------------------------------------------------------------------|
| XT-A20TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-A20TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-A20TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**SETTORI DI RICAMBIO / REPLACEMENT SEGMENT**

|               |    |                                                                |
|---------------|----|----------------------------------------------------------------|
| XT-SETTA20C0G | 0G | Settori di ricambio per Pos. 0G / Replacement segments Pos. 0G |
| XT-SETTA20C1G | 1G | Settori di ricambio per Pos. 1G / Replacement segments Pos. 1G |

**COME SCEGLIERE IL KIT GIUSTO / HOW TO CHOOSE THE RIGHT KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6


**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

Kit granito e marmo : Pos. C0G,C1G,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO A20 R15 SP 20**

|              |    |                                                                                   |
|--------------|----|-----------------------------------------------------------------------------------|
| <b>D.MAX</b> | 94 |  |
| <b>D.MIN</b> | 60 |                                                                                   |
| <b>H</b>     | 42 |                                                                                   |
| <b>R</b>     | 15 |                                                                                   |
|              |    |                                                                                   |
|              |    |                                                                                   |
|              |    | <b>FORO STANDARD 35mm/STANDARD BORE 35mm</b>                                      |
|              |    | <b>1 inch = 25,4 mm</b>                                                           |

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-A30C0G   | 0G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-A30C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|               |      |                                                                                 |
|---------------|------|---------------------------------------------------------------------------------|
| XT-A30C1G     | 1G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-A30C1SSG   | 1SSG | settori <b>SALDATI / WELDED</b> segments                                        |
| XT-A20R15C1MG | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-A20R15C1MP | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-A20R15C1M  | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|               |     |                                                                                 |
|---------------|-----|---------------------------------------------------------------------------------|
| XT-A20R15C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-A20R15C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-A20R15EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|               |   |                                                                            |
|---------------|---|----------------------------------------------------------------------------|
| XT-A20R15TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-A20R15TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-A20R15TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**SETTORI DI RICAMBIO / REPLACEMENT SEGMENT**

|               |    |                                                                |
|---------------|----|----------------------------------------------------------------|
| XT-SETTA30C0G | 0G | Settori di ricambio per Pos. 0G / Replacement segments Pos. 0G |
| XT-SETTA30C1G | 1G | Settori di ricambio per Pos. 1G / Replacement segments Pos. 1G |

**COME SCEGLIERE IL KIT GIUSTO / HOW TO CHOOSE THE RIGHT KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6


**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

Kit granito e marmo : Pos. C0G,C1G,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO A30 R3 SP 30**

|              |    |                                                                                   |
|--------------|----|-----------------------------------------------------------------------------------|
| <b>D.MAX</b> | 80 |  |
| <b>D.MIN</b> | 60 |                                                                                   |
| <b>H</b>     | 46 |                                                                                   |
| <b>R</b>     | 3  |                                                                                   |
|              |    |                                                                                   |
|              |    |                                                                                   |

**FORO STANDARD 35mm/STANDARD BORE 35mm**

1 inch = 25,4 mm

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|               |      |                                                                       |
|---------------|------|-----------------------------------------------------------------------|
| XT-A30R3C0SSG | 0SSG | settori sinterizzati <b>SALDATI</b> / <b>WELDED</b> sintered segments |
|---------------|------|-----------------------------------------------------------------------|

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|               |      |                                                                                 |
|---------------|------|---------------------------------------------------------------------------------|
| XT-A30R3C1SSG | 1SSG | settori <b>SALDATI</b> / <b>WELDED</b> segments                                 |
| XT-A30R3C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-A30R3C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-A30R3C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|              |     |                                                                                 |
|--------------|-----|---------------------------------------------------------------------------------|
| XT-A30R3C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-A30R3C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-A30R3EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUETIME / POLISHING WHEELS TRUETIME**

|              |   |                                                                            |
|--------------|---|----------------------------------------------------------------------------|
| XT-A30R3TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-A30R3TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-A30R3TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**COME SCEGLIERE IL KIT GIUSTO / HOW TO CHOOSE THE RIGHT KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6


**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO A30 R5 SP 30**

|              |    |
|--------------|----|
| <b>D.MAX</b> | 80 |
| <b>D.MIN</b> | 60 |
| <b>H</b>     | 46 |
| <b>R</b>     | 5  |
|              |    |
|              |    |
|              |    |
|              |    |



**FORO STANDARD 35mm/STANDARD BORE 35mm**

1 inch = 25,4 mm

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|               |      |                                                                       |
|---------------|------|-----------------------------------------------------------------------|
| XT-A30R5C0SSG | 0SSG | settori sinterizzati <b>SALDATI</b> / <b>WELDED</b> sintered segments |
|---------------|------|-----------------------------------------------------------------------|

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|               |      |                                                                                 |
|---------------|------|---------------------------------------------------------------------------------|
| XT-A30R5C1SSG | 1SSG | settori <b>SALDATI</b> / <b>WELDED</b> segments                                 |
| XT-A30R5C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-A30R5C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-A30R5C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|              |     |                                                                                 |
|--------------|-----|---------------------------------------------------------------------------------|
| XT-A30R5C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-A30R5C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-A30R5EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUETIME / POLISHING WHEELS TRUETIME**

|              |   |                                                                            |
|--------------|---|----------------------------------------------------------------------------|
| XT-A30R5TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-A30R5TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-A30R5TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**COME SCEGLIERE IL KIT GIUSTO / HOW TO CHOOSE THE RIGHT KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**


Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO A30 R10 SP 30**

|              |    |                                                                                   |
|--------------|----|-----------------------------------------------------------------------------------|
| <b>D.MAX</b> | 84 |  |
| <b>D.MIN</b> | 60 |                                                                                   |
| <b>H</b>     | 42 |                                                                                   |
| <b>R</b>     | 10 |                                                                                   |
|              |    |                                                                                   |
|              |    |                                                                                   |

**FORO STANDARD 35mm/STANDARD BORE 35mm**

1 inch = 25,4 mm

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|                |      |                                                                                 |
|----------------|------|---------------------------------------------------------------------------------|
| XT-A20C0G      | 0G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-A30R10C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|                |      |                                                                                 |
|----------------|------|---------------------------------------------------------------------------------|
| XT-A20C1G      | 1G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-A30R10C1SSG | 1SSG | settori <b>SALDATI / WELDED</b> segments                                        |
| XT-A30R10C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-A30R10C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-A30R10C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|               |     |                                                                                 |
|---------------|-----|---------------------------------------------------------------------------------|
| XT-A30R10C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-A30R10C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-A30R10EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|               |   |                                                                            |
|---------------|---|----------------------------------------------------------------------------|
| XT-A30R10TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-A30R10TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-A30R10TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**SETTORI DI RICAMBIO / REPLACEMENT SEGMENT**

|               |    |                                                                |
|---------------|----|----------------------------------------------------------------|
| XT-SETTA20C0G | 0G | Settori di ricambio per Pos. 0G / Replacement segments Pos. 0G |
| XT-SETTA20C1G | 1G | Settori di ricambio per Pos. 1G / Replacement segments Pos. 1G |

**COME SCEGLIERE IL KIT GIUSTO / HOW TO CHOOSE THE RIGHT KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

Kit granito e marmo : Pos. C0G,C1G,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO A30 R15 SP 30**

|              |    |
|--------------|----|
| <b>D.MAX</b> | 94 |
| <b>D.MIN</b> | 60 |
| <b>H</b>     | 42 |
| <b>R</b>     | 15 |
|              |    |
|              |    |
|              |    |
|              |    |

**FORO STANDARD 35mm/STANDARD BORE 35mm**

1 inch = 25,4 mm

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-A30C0G   | 0G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-A30C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-A30C1G   | 1G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-A30C1SSG | 1SSG | settori <b>SALDATI / WELDED</b> segments                                        |
| XT-A30C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-A30C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-A30C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|            |     |                                                                                 |
|------------|-----|---------------------------------------------------------------------------------|
| XT-A30C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-A30C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-A30EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|            |   |                                                                            |
|------------|---|----------------------------------------------------------------------------|
| XT-A30TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-A30TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-A30TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**SETTORI DI RICAMBIO / REPLACEMENT SEGMENT**

|               |    |                                                                |
|---------------|----|----------------------------------------------------------------|
| XT-SETTA30C0G | 0G | Settori di ricambio per Pos. 0G / Replacement segments Pos. 0G |
| XT-SETTA30C1G | 1G | Settori di ricambio per Pos. 1G / Replacement segments Pos. 1G |

**COME SCEGLIERE IL KIT GIUSTO / HOW TO CHOOSE THE RIGHT KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6


**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

Kit granito e marmo : Pos. C0G,C1G,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO A30 R20 SP 30**

|              |     |                                                                                   |
|--------------|-----|-----------------------------------------------------------------------------------|
| <b>D.MAX</b> | 104 |  |
| <b>D.MIN</b> | 60  |                                                                                   |
| <b>H</b>     | 50  |                                                                                   |
| <b>R</b>     | 20  |                                                                                   |
|              |     |                                                                                   |
|              |     |                                                                                   |

**FORO STANDARD 35mm/STANDARD BORE 35mm**

1 inch = 25,4 mm

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-A40C0G   | 0G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-A40C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|               |      |                                                                                 |
|---------------|------|---------------------------------------------------------------------------------|
| XT-A40C1G     | 1G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-A40C1SSG   | 1SSG | settori <b>SALDATI / WELDED</b> segments                                        |
| XT-A30R20C1MG | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-A30R20C1MP | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-A30R20C1M  | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|               |     |                                                                                 |
|---------------|-----|---------------------------------------------------------------------------------|
| XT-A30R20C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-A30R20C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-A30R20EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|               |   |                                                                            |
|---------------|---|----------------------------------------------------------------------------|
| XT-A30R20TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-A30R20TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-A30R20TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**SETTORI DI RICAMBIO / REPLACEMENT SEGMENT**

|               |    |                                                                |
|---------------|----|----------------------------------------------------------------|
| XT-SETTA40C0G | 0G | Settori di ricambio per Pos. 0G / Replacement segments Pos. 0G |
| XT-SETTA40C1G | 1G | Settori di ricambio per Pos. 1G / Replacement segments Pos. 1G |

**COME SCEGLIERE IL KIT GIUSTO / HOW TO CHOOSE THE RIGHT KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6


**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

Kit granito e marmo : Pos. C0G,C1G,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO A40 R3 SP 40**

|              |    |                                                                                   |
|--------------|----|-----------------------------------------------------------------------------------|
| <b>D.MAX</b> | 80 |  |
| <b>D.MIN</b> | 60 |                                                                                   |
| <b>H</b>     | 50 |                                                                                   |
| <b>R</b>     | 3  |                                                                                   |
|              |    |                                                                                   |
|              |    |                                                                                   |

**FORO STANDARD 35mm/STANDARD BORE 35mm**

1 inch = 25,4 mm

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|               |      |                                                                       |
|---------------|------|-----------------------------------------------------------------------|
| XT-A40R3C0SSG | 0SSG | settori sinterizzati <b>SALDATI</b> / <b>WELDED</b> sintered segments |
|---------------|------|-----------------------------------------------------------------------|

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|               |      |                                                                                 |
|---------------|------|---------------------------------------------------------------------------------|
| XT-A40R3C1SSG | 1SSG | settori <b>SALDATI</b> / <b>WELDED</b> segments                                 |
| XT-A40R3C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-A40R3C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-A40R3C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|              |     |                                                                                 |
|--------------|-----|---------------------------------------------------------------------------------|
| XT-A40R3C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-A40R3C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-A40R3EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|              |   |                                                                            |
|--------------|---|----------------------------------------------------------------------------|
| XT-A40R3TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-A40R3TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-A40R3TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**COME SCEGLIER IL KIT GIUSTO / HOW TO CHOOSE THE RIGH KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**


Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO A40 R5 SP 40**

|              |    |                                                                                   |
|--------------|----|-----------------------------------------------------------------------------------|
| <b>D.MAX</b> | 84 |  |
| <b>D.MIN</b> | 60 |                                                                                   |
| <b>H</b>     | 50 |                                                                                   |
| <b>R</b>     | 5  |                                                                                   |
|              |    |                                                                                   |
|              |    |                                                                                   |

**FORO STANDARD 35mm/STANDARD BORE 35mm**

1 inch = 25,4 mm

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|               |      |                                                                       |
|---------------|------|-----------------------------------------------------------------------|
| XT-A40R5C0SSG | 0SSG | settori sinterizzati <b>SALDATI</b> / <b>WELDED</b> sintered segments |
|---------------|------|-----------------------------------------------------------------------|

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|               |      |                                                                                 |
|---------------|------|---------------------------------------------------------------------------------|
| XT-A40R5C1SSG | 1SSG | settori <b>SALDATI</b> / <b>WELDED</b> segments                                 |
| XT-A40R5C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-A40R5C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-A40R5C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|              |     |                                                                                 |
|--------------|-----|---------------------------------------------------------------------------------|
| XT-A40R5C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-A40R5C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-A40R5EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|              |   |                                                                            |
|--------------|---|----------------------------------------------------------------------------|
| XT-A40R5TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-A40R5TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-A40R5TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**COME SCEGLIER IL KIT GIUSTO / HOW TO CHOOSE THE RIGH KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**


Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO A40 R10 SP 40**

|              |    |                                                                                   |
|--------------|----|-----------------------------------------------------------------------------------|
| <b>D.MAX</b> | 84 |  |
| <b>D.MIN</b> | 60 |                                                                                   |
| <b>H</b>     | 50 |                                                                                   |
| <b>R</b>     | 10 |                                                                                   |
|              |    |                                                                                   |
|              |    |                                                                                   |
|              |    | <b>FORO STANDARD 35mm/STANDARD BORE 35mm</b>                                      |
|              |    | <b>1 inch = 25,4 mm</b>                                                           |

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|                |      |                                                                                 |
|----------------|------|---------------------------------------------------------------------------------|
| XT-A40R10C0G   | 0G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-A40R10C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|                |      |                                                                                 |
|----------------|------|---------------------------------------------------------------------------------|
| XT-A40R10C1G   | 1G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-A40R10C1SSG | 1SSG | settori <b>SALDATI / WELDED</b> segments                                        |
| XT-A40R10C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-A40R10C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-A40R10C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|               |     |                                                                                 |
|---------------|-----|---------------------------------------------------------------------------------|
| XT-A40R10C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-A40R10C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-A40R10EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|               |   |                                                                            |
|---------------|---|----------------------------------------------------------------------------|
| XT-A40R10TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-A40R10TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-A40R10TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**SETTORI DI RICAMBIO / REPLACEMENT SEGMENT**

|                  |    |                                                                |
|------------------|----|----------------------------------------------------------------|
| XT-SETTA40R10C0G | 0G | Settori di ricambio per Pos. 0G / Replacement segments Pos. 0G |
| XT-SETTA40R10C1G | 1G | Settori di ricambio per Pos. 1G / Replacement segments Pos. 1G |

**COME SCEGLIERE IL KIT GIUSTO / HOW TO CHOOSE THE RIGHT KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6


**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

Kit granito e marmo : Pos. C0G,C1G,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO A40 R15 SP 40**

|              |    |                                                                                   |
|--------------|----|-----------------------------------------------------------------------------------|
| <b>D.MAX</b> | 94 |  |
| <b>D.MIN</b> | 60 |                                                                                   |
| <b>H</b>     | 50 |                                                                                   |
| <b>R</b>     | 15 |                                                                                   |
|              |    |                                                                                   |
|              |    |                                                                                   |
|              |    |                                                                                   |
|              |    | <b>FORO STANDARD 35mm/STANDARD BORE 35mm</b>                                      |
|              |    | <b>1 inch = 25,4 mm</b>                                                           |

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|                |      |                                                                                 |
|----------------|------|---------------------------------------------------------------------------------|
| XT-A40R15C0G   | 0G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-A40R15C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|                |      |                                                                                 |
|----------------|------|---------------------------------------------------------------------------------|
| XT-A40R15C1G   | 1G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-A40R15C1SSG | 1SSG | settori <b>SALDATI / WELDED</b> segments                                        |
| XT-A40R15C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-A40R15C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-A40R15C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|               |     |                                                                                 |
|---------------|-----|---------------------------------------------------------------------------------|
| XT-A40R15C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-A40R15C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-A40R15EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|               |   |                                                                            |
|---------------|---|----------------------------------------------------------------------------|
| XT-A40R15TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-A40R15TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-A40R15TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**SETTORI DI RICAMBIO / REPLACEMENT SEGMENT**

|                  |    |                                                                |
|------------------|----|----------------------------------------------------------------|
| XT-SETTA40R15C0G | 0G | Settori di ricambio per Pos. 0G / Replacement segments Pos. 0G |
| XT-SETTA40R15C1G | 1G | Settori di ricambio per Pos. 1G / Replacement segments Pos. 1G |

**COME SCEGLIERE IL KIT GIUSTO / HOW TO CHOOSE THE RIGHT KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6


**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

Kit granito e marmo : Pos. C0G,C1G,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO A40 R20 SP 40**

|              |     |                                                                                   |
|--------------|-----|-----------------------------------------------------------------------------------|
| <b>D.MAX</b> | 104 |  |
| <b>D.MIN</b> | 60  |                                                                                   |
| <b>H</b>     | 50  |                                                                                   |
| <b>R</b>     | 20  |                                                                                   |
|              |     |                                                                                   |
|              |     |                                                                                   |

**FORO STANDARD 35mm/STANDARD BORE 35mm**

1 inch = 25,4 mm

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-A40C0G   | 0G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-A40C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-A40C1G   | 1G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-A40C1SSG | 1SSG | settori <b>SALDATI / WELDED</b> segments                                        |
| XT-A40C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-A40C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-A40C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|            |     |                                                                                 |
|------------|-----|---------------------------------------------------------------------------------|
| XT-A40C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-A40C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-A40EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|            |   |                                                                            |
|------------|---|----------------------------------------------------------------------------|
| XT-A40TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-A40TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-A40TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**SETTORI DI RICAMBIO / REPLACEMENT SEGMENT**

|               |    |                                                                |
|---------------|----|----------------------------------------------------------------|
| XT-SETTA40C0G | 0G | Settori di ricambio per Pos. 0G / Replacement segments Pos. 0G |
| XT-SETTA40C1G | 1G | Settori di ricambio per Pos. 1G / Replacement segments Pos. 1G |

**COME SCEGLIER IL KIT GIUSTO / HOW TO CHOOSE THE RIGTH KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

Kit granito e marmo : Pos. C0G,C1G,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO A50 R25 SP 50**

|              |     |  |
|--------------|-----|--|
| <b>D.MAX</b> | 114 |  |
| <b>D.MIN</b> | 60  |  |
| <b>H</b>     | 60  |  |
| <b>R</b>     | 25  |  |
|              |     |  |
|              |     |  |

**FORO STANDARD 35mm/STANDARD BORE 35mm**

1 inch = 25,4 mm

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-A50C0G   | 0G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-A50C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-A50C1G   | 1G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-A50C1SSG | 1SSG | settori <b>SALDATI / WELDED</b> segments                                        |
| XT-A50C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-A50C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-A50C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|            |     |                                                                                 |
|------------|-----|---------------------------------------------------------------------------------|
| XT-A50C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-A50C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-A50EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|            |   |                                                                            |
|------------|---|----------------------------------------------------------------------------|
| XT-A50TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-A50TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-A50TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**SETTORI DI RICAMBIO / REPLACEMENT SEGMENT**

|               |    |                                                                |
|---------------|----|----------------------------------------------------------------|
| XT-SETTA50C0G | 0G | Settori di ricambio per Pos. 0G / Replacement segments Pos. 0G |
| XT-SETTA50C1G | 1G | Settori di ricambio per Pos. 1G / Replacement segments Pos. 1G |

**COME SCEGLIERE IL KIT GIUSTO / HOW TO CHOOSE THE RIGHT KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

Kit granito e marmo : Pos. C0G,C1G,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO A60 R30 SP 60**

|              |     |
|--------------|-----|
| <b>D.MAX</b> | 124 |
| <b>D.MIN</b> | 60  |
| <b>H</b>     | 70  |
| <b>R</b>     | 30  |
|              |     |
|              |     |
|              |     |
|              |     |

**FORO STANDARD 35mm/STANDARD BORE 35mm**

**1 inch = 25,4 mm**

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-A60C0G   | 0G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-A60C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-A60C1G   | 1G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-A60C1SSG | 1SSG | settori <b>SALDATI / WELDED</b> segments                                        |
| XT-A60C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-A60C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-A60C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|            |     |                                                                                 |
|------------|-----|---------------------------------------------------------------------------------|
| XT-A60C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-A60C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-A60EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|            |   |                                                                            |
|------------|---|----------------------------------------------------------------------------|
| XT-A60TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-A60TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-A60TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**SETTORI DI RICAMBIO / REPLACEMENT SEGMENT**

|               |    |                                                                |
|---------------|----|----------------------------------------------------------------|
| XT-SETTA60C0G | 0G | Settori di ricambio per Pos. 0G / Replacement segments Pos. 0G |
| XT-SETTA60C1G | 1G | Settori di ricambio per Pos. 1G / Replacement segments Pos. 1G |

**COME SCEGLIERE IL KIT GIUSTO / HOW TO CHOOSE THE RIGHT KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6


**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

Kit granito e marmo : Pos. C0G,C1G,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO A80 R40 SP 80**

|              |     |                                                                                   |
|--------------|-----|-----------------------------------------------------------------------------------|
| <b>D.MAX</b> | 134 |  |
| <b>D.MIN</b> | 60  |                                                                                   |
| <b>H</b>     | 90  |                                                                                   |
| <b>R</b>     | 40  |                                                                                   |
|              |     |                                                                                   |
|              |     |                                                                                   |
|              |     | <b>FORO STANDARD 35mm/STANDARD BORE 35mm</b>                                      |
|              |     | <b>1 inch = 25,4 mm</b>                                                           |

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-A80C0G   | 0G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-A80C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-A80C1G   | 1G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-A80C1SSG | 1SSG | settori <b>SALDATI / WELDED</b> segments                                        |
| XT-A80C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-A80C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-A80C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|            |     |                                                                                 |
|------------|-----|---------------------------------------------------------------------------------|
| XT-A80C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-A80C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-A80EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|            |   |                                                                            |
|------------|---|----------------------------------------------------------------------------|
| XT-A80TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-A80TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-A80TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**SETTORI DI RICAMBIO / REPLACEMENT SEGMENT**

|               |    |                                                                |
|---------------|----|----------------------------------------------------------------|
| XT-SETTA80C1G | 0G | Settori di ricambio per Pos. 0G / Replacement segments Pos. 0G |
| XT-SETTA80C0G | 1G | Settori di ricambio per Pos. 1G / Replacement segments Pos. 1G |

**COME SCEGLIERE IL KIT GIUSTO / HOW TO CHOOSE THE RIGHT KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6


**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

Kit granito e marmo : Pos. C0G,C1G,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO A30CLR10R3 SP 30**

|                                              |    |                                                                                   |
|----------------------------------------------|----|-----------------------------------------------------------------------------------|
| <b>D.MAX</b>                                 | 84 |  |
| <b>D.MIN</b>                                 | 60 |                                                                                   |
| <b>H</b>                                     | 42 |                                                                                   |
| <b>R</b>                                     | 10 |                                                                                   |
| <b>R</b>                                     | 3  |                                                                                   |
|                                              |    |                                                                                   |
| <b>FORO STANDARD 35mm/STANDARD BORE 35mm</b> |    |                                                                                   |
| <b>1 inch = 25,4 mm</b>                      |    |                                                                                   |

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-A20C0G   | 0G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-A20C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|                    |      |                                                                                 |
|--------------------|------|---------------------------------------------------------------------------------|
| XT-A30CLR10R3C1G   | 1G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-A30CLR10R3C1SSG | 1SSG | settori <b>SALDATI / WELDED</b> segments                                        |
| XT-A30CLR10R3C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-A30CLR10R3C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-A30CLR10R3C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|                   |     |                                                                                 |
|-------------------|-----|---------------------------------------------------------------------------------|
| XT-A30CLR10R3C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-A30CLR10R3C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-A30CLR10R3EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|                   |   |                                                                            |
|-------------------|---|----------------------------------------------------------------------------|
| XT-A30CLR10R3TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-A30CLR10R3TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-A30CLR10R3TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**SETTORI DI RICAMBIO / REPLACEMENT SEGMENT**

|                      |    |                                                                |
|----------------------|----|----------------------------------------------------------------|
| XT-SETTA30CLR10R3C1G | 1G | Settori di ricambio per Pos. 0G / Replacement segments Pos. 1G |
| XT-SETTA20C0G        | 0G | Settori di ricambio per Pos. 1G / Replacement segments Pos. 0G |

**COME SCEGLIERE IL KIT GIUSTO / HOW TO CHOOSE THE RIGHT KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6


**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

Kit granito e marmo : Pos. C0G,C1G,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO A30CLR15R3 SP 30**

|              |    |                                                                                   |
|--------------|----|-----------------------------------------------------------------------------------|
| <b>D.MAX</b> | 94 |  |
| <b>D.MIN</b> | 60 |                                                                                   |
| <b>H</b>     | 42 |                                                                                   |
| <b>R</b>     | 15 |                                                                                   |
| <b>R</b>     | 3  |                                                                                   |
|              |    |                                                                                   |

**FORO STANDARD 35mm/STANDARD BORE 35mm**

1 inch = 25,4 mm

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-A30C0G   | 0G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-A30C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|                    |      |                                                                                 |
|--------------------|------|---------------------------------------------------------------------------------|
| XT-A30CLR15R3C1G   | 1G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-A30CLR15R3C1SSG | 1SSG | settori <b>SALDATI / WELDED</b> segments                                        |
| XT-A30CLR15R3C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-A30CLR15R3C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-A30CLR15R3C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|                   |     |                                                                                 |
|-------------------|-----|---------------------------------------------------------------------------------|
| XT-A30CLR15R3C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-A30CLR15R3C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-A30CLR15R3EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|                   |   |                                                                            |
|-------------------|---|----------------------------------------------------------------------------|
| XT-A30CLR15R3TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-A30CLR15R3TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-A30CLR15R3TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**SETTORI DI RICAMBIO / REPLACEMENT SEGMENT**

|                      |    |                                                                |
|----------------------|----|----------------------------------------------------------------|
| XT-SETTA30CLR15R3C1G | 1G | Settori di ricambio per Pos. 0G / Replacement segments Pos. 1G |
| XT-SETTA30C0G        | 0G | Settori di ricambio per Pos. 1G / Replacement segments Pos. 0G |

**COME SCEGLIERE IL KIT GIUSTO / HOW TO CHOOSE THE RIGHT KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

Kit granito e marmo : Pos. C0G,C1G,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO B20 R20 SP 20**

|              |     |
|--------------|-----|
| <b>D.MAX</b> | 104 |
| <b>D.MIN</b> | 60  |
| <b>H</b>     | 50  |
| <b>R</b>     | 20  |
|              |     |
|              |     |
|              |     |
|              |     |
|              |     |
|              |     |

**FORO STANDARD 35mm/STANDARD BORE 35mm**

1 inch = 25,4 mm

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-B20C0G   | 0G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-B20C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-B20C1G   | 1G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-B20C1SSG | 1SSG | settori <b>SALDATI / WELDED</b> segments                                        |
| XT-B20C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-B20C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-B20C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|            |     |                                                                                 |
|------------|-----|---------------------------------------------------------------------------------|
| XT-B20C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-B20C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-B20EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|            |   |                                                                            |
|------------|---|----------------------------------------------------------------------------|
| XT-B20TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-B20TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-B20TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**SETTORI DI RICAMBIO / REPLACEMENT SEGMENT**

|               |    |                                                                |
|---------------|----|----------------------------------------------------------------|
| XT-SETTB20C0G | 0G | Settori di ricambio per Pos. 0G / Replacement segments Pos. 0G |
| XT-SETTB20C1G | 1G | Settori di ricambio per Pos. 1G / Replacement segments Pos. 1G |

**COME SCEGLIERE IL KIT GIUSTO / HOW TO CHOOSE THE RIGHT KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA GOLD / GOLD PROFILING SET**


Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

Kit granito e marmo : Pos. C0G,C1G,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO B30 R30 SP 30**

|              |     |
|--------------|-----|
| <b>D.MAX</b> | 126 |
| <b>D.MIN</b> | 60  |
| <b>H</b>     | 42  |
| <b>R</b>     | 30  |
|              |     |
|              |     |
|              |     |
|              |     |



**FORO STANDARD 35mm/STANDARD BORE 35mm**

1 inch = 25,4 mm

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-B30C0G   | 0G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-B30C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-B30C1G   | 1G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-B30C1SSG | 1SSG | settori <b>SALDATI / WELDED</b> segments                                        |
| XT-B30C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-B30C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-B30C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|            |     |                                                                                 |
|------------|-----|---------------------------------------------------------------------------------|
| XT-B30C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-B30C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-B30EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|            |   |                                                                            |
|------------|---|----------------------------------------------------------------------------|
| XT-B30TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-B30TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-B30TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**SETTORI DI RICAMBIO / REPLACEMENT SEGMENT**

|               |    |                                                                |
|---------------|----|----------------------------------------------------------------|
| XT-SETTB30C0G | 0G | Settori di ricambio per Pos. 0G / Replacement segments Pos. 0G |
| XT-SETTB30C1G | 1G | Settori di ricambio per Pos. 1G / Replacement segments Pos. 1G |

**COME SCEGLIERE IL KIT GIUSTO / HOW TO CHOOSE THE RIGHT KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA GOLD / GOLD PROFILING SET**


Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

Kit granito e marmo : Pos. C0G,C1G,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO B40 R40 SP 40**

|                                              |     |
|----------------------------------------------|-----|
| <b>D.MAX</b>                                 | 146 |
| <b>D.MIN</b>                                 | 60  |
| <b>H</b>                                     | 52  |
| <b>R</b>                                     | 40  |
|                                              |     |
|                                              |     |
|                                              |     |
|                                              |     |
|                                              |     |
| <b>FORO STANDARD 35mm/STANDARD BORE 35mm</b> |     |
| <b>1 inch = 25,4 mm</b>                      |     |



**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-B40C0G   | 0G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-B40C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-B40C1G   | 1G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-B40C1SSG | 1SSG | settori <b>SALDATI / WELDED</b> segments                                        |
| XT-B40C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-B40C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-B40C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|            |     |                                                                                 |
|------------|-----|---------------------------------------------------------------------------------|
| XT-B40C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-B40C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-B40EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|            |   |                                                                            |
|------------|---|----------------------------------------------------------------------------|
| XT-B40TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-B40TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-B40TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**SETTORI DI RICAMBIO / REPLACEMENT SEGMENT**

|               |    |                                                                |
|---------------|----|----------------------------------------------------------------|
| XT-SETTB40C0G | 0G | Settori di ricambio per Pos. 0G / Replacement segments Pos. 0G |
| XT-SETTB40C1G | 1G | Settori di ricambio per Pos. 1G / Replacement segments Pos. 1G |

**COME SCEGLIER IL KIT GIUSTO / HOW TO CHOOSE THE RIGTH KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

Kit granito e marmo : Pos. C0G,C1G,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO B30CLR30R3 SP 30**

|              |     |
|--------------|-----|
| <b>D.MAX</b> | 126 |
| <b>D.MIN</b> | 60  |
| <b>H</b>     | 42  |
| <b>R</b>     | 30  |
|              |     |
|              |     |
|              |     |
|              |     |
|              |     |

**FORO STANDARD 35mm/STANDARD BORE 35mm**

1 inch = 25,4 mm

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-B30C0G   | 0G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-B30C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|                |      |                                                                                 |
|----------------|------|---------------------------------------------------------------------------------|
| XT-B30C1G      | 1G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-B30C1SSG    | 1SSG | settori <b>SALDATI / WELDED</b> segments                                        |
| XT-B30CLR3C1MG | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-B30CLR3C1MP | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-B30CLR3C1M  | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|                |     |                                                                                 |
|----------------|-----|---------------------------------------------------------------------------------|
| XT-B30CLR3C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-B30CLR3C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-B30CLR3EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|                |   |                                                                            |
|----------------|---|----------------------------------------------------------------------------|
| XT-B30CLR3TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-B30CLR3TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-B30CLR3TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**SETTORI DI RICAMBIO / REPLACEMENT SEGMENT**

|               |    |                                                                |
|---------------|----|----------------------------------------------------------------|
| XT-SETTB30C0G | 0G | Settori di ricambio per Pos. 0G / Replacement segments Pos. 0G |
| XT-SETTB30C1G | 1G | Settori di ricambio per Pos. 1G / Replacement segments Pos. 1G |

**COME SCEGLIER IL KIT GIUSTO / HOW TO CHOOSE THE RIGTH KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA GOLD / GOLD PROFILING SET**


Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

Kit granito e marmo : Pos. C0G,C1G,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO CD20 SP 20**

|              |    |
|--------------|----|
| <b>D.MAX</b> | 70 |
| <b>D.MIN</b> | 70 |
| <b>H</b>     | 26 |
| <b>R</b>     | 0  |
|              |    |
|              |    |
|              |    |
|              |    |



**FORO STANDARD 35mm/STANDARD BORE 35mm**

1 inch = 25,4 mm

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|              |      |                                                                       |
|--------------|------|-----------------------------------------------------------------------|
| XT-CD20C0SSG | 0SSG | settori sinterizzati <b>SALDATI</b> / <b>WELDED</b> sintered segments |
|--------------|------|-----------------------------------------------------------------------|

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|              |      |                                                                                 |
|--------------|------|---------------------------------------------------------------------------------|
| XT-CD20C1SSG | 1SSG | settori sinterizzati <b>SALDATI</b> / <b>WELDED</b> sintered segments           |
| XT-CD20C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-CD20C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-CD20C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|             |     |                                                                                 |
|-------------|-----|---------------------------------------------------------------------------------|
| XT-CD20C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-CD20C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-CD20EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|             |   |                                                                            |
|-------------|---|----------------------------------------------------------------------------|
| XT-CD20TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-CD20TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-CD20TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**COME SCEGLIER IL KIT GIUSTO / HOW TO CHOOSE THE RIGH KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6


**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO CD30 SP 30**

|              |    |
|--------------|----|
| <b>D.MAX</b> | 70 |
| <b>D.MIN</b> | 70 |
| <b>H</b>     | 36 |
| <b>R</b>     | 0  |
|              |    |
|              |    |
|              |    |
|              |    |



**FORO STANDARD 35mm/STANDARD BORE 35mm**

1 inch = 25,4 mm

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|              |      |                                                                       |
|--------------|------|-----------------------------------------------------------------------|
| XT-CD30C0SSG | 0SSG | settori sinterizzati <b>SALDATI</b> / <b>WELDED</b> sintered segments |
|--------------|------|-----------------------------------------------------------------------|

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|              |      |                                                                                 |
|--------------|------|---------------------------------------------------------------------------------|
| XT-CD30C1SSG | 1SSG | settori sinterizzati <b>SALDATI</b> / <b>WELDED</b> sintered segments           |
| XT-CD30C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-CD30C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-CD30C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|             |     |                                                                                 |
|-------------|-----|---------------------------------------------------------------------------------|
| XT-CD30C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-CD30C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-CD30EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|             |   |                                                                            |
|-------------|---|----------------------------------------------------------------------------|
| XT-CD30TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-CD30TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-CD30TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**COME SCEGLIER IL KIT GIUSTO / HOW TO CHOOSE THE RIGTH KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**


Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO CD40 SP 40**

|              |    |                                                                                   |
|--------------|----|-----------------------------------------------------------------------------------|
| <b>D.MAX</b> | 70 |  |
| <b>D.MIN</b> | 70 |                                                                                   |
| <b>H</b>     | 50 |                                                                                   |
| <b>R</b>     | 0  |                                                                                   |
|              |    |                                                                                   |
|              |    |                                                                                   |
|              |    | <b>FORO STANDARD 35mm/STANDARD BORE 35mm</b>                                      |

1 inch = 25,4 mm

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|              |      |                                                                       |
|--------------|------|-----------------------------------------------------------------------|
| XT-CD40C0SSG | 0SSG | settori sinterizzati <b>SALDATI</b> / <b>WELDED</b> sintered segments |
|--------------|------|-----------------------------------------------------------------------|

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|              |      |                                                                                 |
|--------------|------|---------------------------------------------------------------------------------|
| XT-CD40C1SSG | 1SSG | settori sinterizzati <b>SALDATI</b> / <b>WELDED</b> sintered segments           |
| XT-CD40C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-CD40C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-CD40C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|             |     |                                                                                 |
|-------------|-----|---------------------------------------------------------------------------------|
| XT-CD40C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-CD40C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-CD40EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|             |   |                                                                            |
|-------------|---|----------------------------------------------------------------------------|
| XT-CD40TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-CD40TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-CD40TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**COME SCEGLIER IL KIT GIUSTO / HOW TO CHOOSE THE RIGTH KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6


**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO CD60 SP 60**

|              |    |
|--------------|----|
| <b>D.MAX</b> | 70 |
| <b>D.MIN</b> | 70 |
| <b>H</b>     | 70 |
| <b>R</b>     | 0  |
|              |    |
|              |    |
|              |    |
|              |    |



**FORO STANDARD 35mm/STANDARD BORE 35mm**

1 inch = 25,4 mm

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|              |      |                                                                       |
|--------------|------|-----------------------------------------------------------------------|
| XT-CD60C0SSG | 0SSG | settori sinterizzati <b>SALDATI</b> / <b>WELDED</b> sintered segments |
|--------------|------|-----------------------------------------------------------------------|

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|              |      |                                                                                 |
|--------------|------|---------------------------------------------------------------------------------|
| XT-CD60C1SSG | 1SSG | settori sinterizzati <b>SALDATI</b> / <b>WELDED</b> sintered segments           |
| XT-CD60C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-CD60C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-CD60C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|             |     |                                                                                 |
|-------------|-----|---------------------------------------------------------------------------------|
| XT-CD60C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-CD60C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-CD60EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUETIME / POLISHING WHEELS TRUETIME**

|             |   |                                                                            |
|-------------|---|----------------------------------------------------------------------------|
| XT-CD60TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-CD60TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-CD60TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**COME SCEGLIER IL KIT GIUSTO / HOW TO CHOOSE THE RIGHT KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**


Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO CD80 SP 80**

|                                              |    |                                                                                   |
|----------------------------------------------|----|-----------------------------------------------------------------------------------|
| <b>D.MAX</b>                                 | 70 |  |
| <b>D.MIN</b>                                 | 70 |                                                                                   |
| <b>H</b>                                     | 90 |                                                                                   |
| <b>R</b>                                     | 0  |                                                                                   |
|                                              |    |                                                                                   |
|                                              |    |                                                                                   |
|                                              |    |                                                                                   |
| <b>FORO STANDARD 35mm/STANDARD BORE 35mm</b> |    |                                                                                   |

1 inch = 25,4 mm

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|              |      |                                                                       |
|--------------|------|-----------------------------------------------------------------------|
| XT-CD80C0SSG | 0SSG | settori sinterizzati <b>SALDATI</b> / <b>WELDED</b> sintered segments |
|--------------|------|-----------------------------------------------------------------------|

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|              |      |                                                                                 |
|--------------|------|---------------------------------------------------------------------------------|
| XT-CD80C1SSG | 1SSG | settori sinterizzati <b>SALDATI</b> / <b>WELDED</b> sintered segments           |
| XT-CD80C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-CD80C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-CD80C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|             |     |                                                                                 |
|-------------|-----|---------------------------------------------------------------------------------|
| XT-CD80C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-CD80C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-CD80EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUETIME / POLISHING WHEELS TRUETIME**

|             |   |                                                                            |
|-------------|---|----------------------------------------------------------------------------|
| XT-CD80TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-CD80TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-CD80TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**COME SCEGLIER IL KIT GIUSTO / HOW TO CHOOSE THE RIGHT KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6


**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO CD100 SP 100**

|              |     |
|--------------|-----|
| <b>D.MAX</b> | 70  |
| <b>D.MIN</b> | 70  |
| <b>H</b>     | 110 |
| <b>R</b>     | 0   |
|              |     |
|              |     |
|              |     |
|              |     |



**FORO STANDARD 35mm/STANDARD BORE 35mm**

1 inch = 25,4 mm

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|               |      |                                                                |
|---------------|------|----------------------------------------------------------------|
| XT-CD100C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments |
|---------------|------|----------------------------------------------------------------|

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|               |      |                                                                                 |
|---------------|------|---------------------------------------------------------------------------------|
| XT-CD100C1SSG | 1SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |
| XT-CD100C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-CD100C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-CD100C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|              |     |                                                                                 |
|--------------|-----|---------------------------------------------------------------------------------|
| XT-CD100C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-CD100C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-CD100EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|              |   |                                                                            |
|--------------|---|----------------------------------------------------------------------------|
| XT-CD100TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-CD100TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-CD100TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**COME SCEGLIER IL KIT GIUSTO / HOW TO CHOOSE THE RIGH KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**


Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO CD1S20 SP 20**

|                         |    |                                                                                   |
|-------------------------|----|-----------------------------------------------------------------------------------|
| <b>D.MAX</b>            | 74 |  |
| <b>D.MIN</b>            | 60 |                                                                                   |
| <b>H</b>                | 30 |                                                                                   |
| <b>SM</b>               | 5  |                                                                                   |
|                         |    |                                                                                   |
|                         |    |                                                                                   |
|                         |    |                                                                                   |
|                         |    | <b>FORO STANDARD 35mm/STANDARD BORE 35mm</b>                                      |
| <b>1 inch = 25,4 mm</b> |    |                                                                                   |

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|                |      |                                                                       |
|----------------|------|-----------------------------------------------------------------------|
| XT-CD1S20C0SSG | 0SSG | settori sinterizzati <b>SALDATI</b> / <b>WELDED</b> sintered segments |
|----------------|------|-----------------------------------------------------------------------|

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|                |      |                                                                                 |
|----------------|------|---------------------------------------------------------------------------------|
| XT-CD1S20C1SSG | 1SSG | settori sinterizzati <b>SALDATI</b> / <b>WELDED</b> sintered segments           |
| XT-CD1S20C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-CD1S20C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-CD1S20C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|               |     |                                                                                 |
|---------------|-----|---------------------------------------------------------------------------------|
| XT-CD1S20C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-CD1S20C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-CD1S20EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|               |   |                                                                            |
|---------------|---|----------------------------------------------------------------------------|
| XT-CD1S20TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-CD1S20TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-CD1S20TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**COME SCEGLIER IL KIT GIUSTO / HOW TO CHOOSE THE RIGTH KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**


Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO CD1S30 SP 30**

|              |    |                                                                                   |
|--------------|----|-----------------------------------------------------------------------------------|
| <b>D.MAX</b> | 74 |  |
| <b>D.MIN</b> | 60 |                                                                                   |
| <b>H</b>     | 40 |                                                                                   |
| <b>SM</b>    | 5  |                                                                                   |
|              |    |                                                                                   |
|              |    |                                                                                   |

**FORO STANDARD 35mm/STANDARD BORE 35mm**

1 inch = 25,4 mm

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|                |      |                                                                       |
|----------------|------|-----------------------------------------------------------------------|
| XT-CD1S30C0SSG | 0SSG | settori sinterizzati <b>SALDATI</b> / <b>WELDED</b> sintered segments |
|----------------|------|-----------------------------------------------------------------------|

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|                |      |                                                                                 |
|----------------|------|---------------------------------------------------------------------------------|
| XT-CD1S30C1SSG | 1SSG | settori sinterizzati <b>SALDATI</b> / <b>WELDED</b> sintered segments           |
| XT-CD1S30C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-CD1S30C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-CD1S30C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|               |     |                                                                                 |
|---------------|-----|---------------------------------------------------------------------------------|
| XT-CD1S30C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-CD1S30C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-CD1S30EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|               |   |                                                                            |
|---------------|---|----------------------------------------------------------------------------|
| XT-CD1S30TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-CD1S30TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-CD1S30TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**COME SCEGLIER IL KIT GIUSTO / HOW TO CHOOSE THE RIGTH KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**


Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO CD1S40 SP 40**

|              |    |                                                                                   |
|--------------|----|-----------------------------------------------------------------------------------|
| <b>D.MAX</b> | 74 |  |
| <b>D.MIN</b> | 60 |                                                                                   |
| <b>H</b>     | 50 |                                                                                   |
| <b>SM</b>    | 5  |                                                                                   |
|              |    |                                                                                   |
|              |    |                                                                                   |

**FORO STANDARD 35mm/STANDARD BORE 35mm**

1 inch = 25,4 mm

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|                |      |                                                                       |
|----------------|------|-----------------------------------------------------------------------|
| XT-CD1S40C0SSG | 0SSG | settori sinterizzati <b>SALDATI</b> / <b>WELDED</b> sintered segments |
|----------------|------|-----------------------------------------------------------------------|

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|                |      |                                                                                 |
|----------------|------|---------------------------------------------------------------------------------|
| XT-CD1S40C1SSG | 1SSG | settori sinterizzati <b>SALDATI</b> / <b>WELDED</b> sintered segments           |
| XT-CD1S40C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-CD1S40C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-CD1S40C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|               |     |                                                                                 |
|---------------|-----|---------------------------------------------------------------------------------|
| XT-CD1S40C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-CD1S40C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-CD1S40EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUETIME / POLISHING WHEELS TRUETIME**

|               |   |                                                                            |
|---------------|---|----------------------------------------------------------------------------|
| XT-CD1S40TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-CD1S40TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-CD1S40TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**COME SCEGLIER IL KIT GIUSTO / HOW TO CHOOSE THE RIGHT KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**


Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO CD2S20 SP 20**

|              |    |                                                                                   |
|--------------|----|-----------------------------------------------------------------------------------|
| <b>D.MAX</b> | 74 |  |
| <b>D.MIN</b> | 60 |                                                                                   |
| <b>H</b>     | 30 |                                                                                   |
| <b>SM</b>    | 5  |                                                                                   |
|              |    |                                                                                   |
|              |    |                                                                                   |

**FORO STANDARD 35mm/STANDARD BORE 35mm**

1 inch = 25,4 mm

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|                |      |                                                                       |
|----------------|------|-----------------------------------------------------------------------|
| XT-CD2S20C0SSG | 0SSG | settori sinterizzati <b>SALDATI</b> / <b>WELDED</b> sintered segments |
|----------------|------|-----------------------------------------------------------------------|

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|                |      |                                                                                 |
|----------------|------|---------------------------------------------------------------------------------|
| XT-CD2S20C1SSG | 1SSG | settori sinterizzati <b>SALDATI</b> / <b>WELDED</b> sintered segments           |
| XT-CD2S20C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-CD2S20C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-CD2S20C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|               |     |                                                                                 |
|---------------|-----|---------------------------------------------------------------------------------|
| XT-CD2S20C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-CD2S20C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-CD2S20EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUETIME / POLISHING WHEELS TRUETIME**

|               |   |                                                                            |
|---------------|---|----------------------------------------------------------------------------|
| XT-CD2S20TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-CD2S20TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-CD2S20TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**COME SCEGLIER IL KIT GIUSTO / HOW TO CHOOSE THE RIGTH KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**


Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO CD2S203 SP 20**

|              |    |                                                                                   |
|--------------|----|-----------------------------------------------------------------------------------|
| <b>D.MAX</b> | 74 |  |
| <b>D.MIN</b> | 60 |                                                                                   |
| <b>H</b>     | 30 |                                                                                   |
| <b>SM</b>    | 3  |                                                                                   |
|              |    |                                                                                   |
|              |    |                                                                                   |
|              |    | <b>FORO STANDARD 35mm/STANDARD BORE 35mm</b>                                      |

1 inch = 25,4 mm

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|                 |      |                                                                       |
|-----------------|------|-----------------------------------------------------------------------|
| XT-CD2S203C0SSG | 0SSG | settori sinterizzati <b>SALDATI</b> / <b>WELDED</b> sintered segments |
|-----------------|------|-----------------------------------------------------------------------|

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|                 |      |                                                                                 |
|-----------------|------|---------------------------------------------------------------------------------|
| XT-CD2S203C1SSG | 1SSG | settori sinterizzati <b>SALDATI</b> / <b>WELDED</b> sintered segments           |
| XT-CD2S203C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-CD2S203C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-CD2S203C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|                |     |                                                                                 |
|----------------|-----|---------------------------------------------------------------------------------|
| XT-CD2S203C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-CD2S203C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-CD2S203EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUETIME / POLISHING WHEELS TRUETIME**

|                |   |                                                                            |
|----------------|---|----------------------------------------------------------------------------|
| XT-CD2S203TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-CD2S203TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-CD2S203TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**COME SCEGLIER IL KIT GIUSTO / HOW TO CHOOSE THE RIGHT KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**


Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO CD2S30 SP 30**

|              |    |                                                                                   |
|--------------|----|-----------------------------------------------------------------------------------|
| <b>D.MAX</b> | 74 |  |
| <b>D.MIN</b> | 60 |                                                                                   |
| <b>H</b>     | 40 |                                                                                   |
| <b>SM</b>    | 5  |                                                                                   |
|              |    |                                                                                   |
|              |    |                                                                                   |
|              |    |                                                                                   |

**FORO STANDARD 35mm/STANDARD BORE 35mm**

1 inch = 25,4 mm

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|                |      |                                                                       |
|----------------|------|-----------------------------------------------------------------------|
| XT-CD2S30C0SSG | 0SSG | settori sinterizzati <b>SALDATI</b> / <b>WELDED</b> sintered segments |
|----------------|------|-----------------------------------------------------------------------|

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|                |      |                                                                                 |
|----------------|------|---------------------------------------------------------------------------------|
| XT-CD2S30C1SSG | 1SSG | settori sinterizzati <b>SALDATI</b> / <b>WELDED</b> sintered segments           |
| XT-CD2S30C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-CD2S30C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-CD2S30C1MP  | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|               |     |                                                                                 |
|---------------|-----|---------------------------------------------------------------------------------|
| XT-CD2S30C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-CD2S30C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-CD2S30EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUETIME / POLISHING WHEELS TRUETIME**

|               |   |                                                                            |
|---------------|---|----------------------------------------------------------------------------|
| XT-CD2S30TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-CD2S30TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-CD2S30TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**COME SCEGLIER IL KIT GIUSTO / HOW TO CHOOSE THE RIGHT KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**


Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO CD2S303 SP 30**

|              |    |                                                                                   |
|--------------|----|-----------------------------------------------------------------------------------|
| <b>D.MAX</b> | 74 |  |
| <b>D.MIN</b> | 60 |                                                                                   |
| <b>H</b>     | 40 |                                                                                   |
| <b>SM</b>    | 3  |                                                                                   |
|              |    |                                                                                   |
|              |    |                                                                                   |
|              |    |                                                                                   |

**FORO STANDARD 35mm/STANDARD BORE 35mm**

1 inch = 25,4 mm

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|                 |      |                                                                       |
|-----------------|------|-----------------------------------------------------------------------|
| XT-CD2S303C0SSG | 0SSG | settori sinterizzati <b>SALDATI</b> / <b>WELDED</b> sintered segments |
|-----------------|------|-----------------------------------------------------------------------|

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|                 |      |                                                                                 |
|-----------------|------|---------------------------------------------------------------------------------|
| XT-CD2S303C1SSG | 1SSG | settori sinterizzati <b>SALDATI</b> / <b>WELDED</b> sintered segments           |
| XT-CD2S303C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-CD2S303C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-CD2S303C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|                |     |                                                                                 |
|----------------|-----|---------------------------------------------------------------------------------|
| XT-CD2S303C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-CD2S303C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-CD2S303EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUETIME / POLISHING WHEELS TRUETIME**

|                |   |                                                                            |
|----------------|---|----------------------------------------------------------------------------|
| XT-CD2S303TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-CD2S303TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-CD2S303TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**COME SCEGLIERE IL KIT GIUSTO / HOW TO CHOOSE THE RIGHT KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**


Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO CD2S40 SP 40**

|                         |    |                                                                                   |
|-------------------------|----|-----------------------------------------------------------------------------------|
| <b>D.MAX</b>            | 74 |  |
| <b>D.MIN</b>            | 60 |                                                                                   |
| <b>H</b>                | 50 |                                                                                   |
| <b>SM</b>               | 5  |                                                                                   |
|                         |    |                                                                                   |
|                         |    |                                                                                   |
|                         |    |                                                                                   |
|                         |    | <b>FORO STANDARD 35mm/STANDARD BORE 35mm</b>                                      |
| <b>1 inch = 25,4 mm</b> |    |                                                                                   |

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|                |      |                                                                       |
|----------------|------|-----------------------------------------------------------------------|
| XT-CD2S40C1SSG | 0SSG | settori sinterizzati <b>SALDATI</b> / <b>WELDED</b> sintered segments |
|----------------|------|-----------------------------------------------------------------------|

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|                |      |                                                                                 |
|----------------|------|---------------------------------------------------------------------------------|
| XT-CD2S40C1SSG | 1SSG | settori sinterizzati <b>SALDATI</b> / <b>WELDED</b> sintered segments           |
| XT-CD2S40C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-CD2S40C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-CD2S40C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|               |     |                                                                                 |
|---------------|-----|---------------------------------------------------------------------------------|
| XT-CD2S40C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-CD2S40C1MG | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-CD2S40EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|               |   |                                                                            |
|---------------|---|----------------------------------------------------------------------------|
| XT-CD2S40TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-CD2S40TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-CD2S40TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**COME SCEGLIER IL KIT GIUSTO / HOW TO CHOOSE THE RIGTH KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**


Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO CD2S403 SP 40**

|                         |    |                                                                                   |
|-------------------------|----|-----------------------------------------------------------------------------------|
| <b>D.MAX</b>            | 74 |  |
| <b>D.MIN</b>            | 60 |                                                                                   |
| <b>H</b>                | 50 |                                                                                   |
| <b>SM</b>               | 3  |                                                                                   |
|                         |    |                                                                                   |
|                         |    |                                                                                   |
|                         |    |                                                                                   |
|                         |    | <b>FORO STANDARD 35mm/STANDARD BORE 35mm</b>                                      |
| <b>1 inch = 25,4 mm</b> |    |                                                                                   |

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|                 |      |                                                                       |
|-----------------|------|-----------------------------------------------------------------------|
| XT-CD2S403C0SSG | 0SSG | settori sinterizzati <b>SALDATI</b> / <b>WELDED</b> sintered segments |
|-----------------|------|-----------------------------------------------------------------------|

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|                 |      |                                                                                 |
|-----------------|------|---------------------------------------------------------------------------------|
| XT-CD2S403C1SSG | 1SSG | settori sinterizzati <b>SALDATI</b> / <b>WELDED</b> sintered segments           |
| XT-CD2S403C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-CD2S403C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-CD2S403C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|                |     |                                                                                 |
|----------------|-----|---------------------------------------------------------------------------------|
| XT-CD2S403C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-CD2S403C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-CD2S403EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|                |   |                                                                            |
|----------------|---|----------------------------------------------------------------------------|
| XT-CD2S403TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-CD2S403TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-CD2S403TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**COME SCEGLIER IL KIT GIUSTO / HOW TO CHOOSE THE RIGTH KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**


Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO D20 SP 20**

|              |     |                                                                                   |
|--------------|-----|-----------------------------------------------------------------------------------|
| <b>D.MAX</b> | 103 |  |
| <b>D.MIN</b> | 60  |                                                                                   |
| <b>H</b>     | 42  |                                                                                   |
| <b>R</b>     | 7,5 |                                                                                   |
|              |     |                                                                                   |
|              |     |                                                                                   |

**FORO STANDARD 35mm/STANDARD BORE 35mm**

1 inch = 25,4 mm

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-D20C0G   | 0G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-D20C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-D20C1G   | 1G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-D20C1SSG | 1SSG | settori <b>SALDATI / WELDED</b> segments                                        |
| XT-D20C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-D20C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-D20C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|            |     |                                                                                 |
|------------|-----|---------------------------------------------------------------------------------|
| XT-D20C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-D20C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-D20EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|            |   |                                                                            |
|------------|---|----------------------------------------------------------------------------|
| XT-D20TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-D20TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-D20TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**SETTORI DI RICAMBIO / REPLACEMENT SEGMENT**

|               |    |                                                                |
|---------------|----|----------------------------------------------------------------|
| XT-SETTD20C0G | 0G | Settori di ricambio per Pos. 0G / Replacement segments Pos. 0G |
| XT-SETTD20C1G | 1G | Settori di ricambio per Pos. 1G / Replacement segments Pos. 1G |

**COME SCEGLIERE IL KIT GIUSTO / HOW TO CHOOSE THE RIGHT KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6


**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

Kit granito e marmo : Pos. C0G,C1G,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO D30 SP 30**

|              |     |                                                                                   |
|--------------|-----|-----------------------------------------------------------------------------------|
| <b>D.MAX</b> | 125 |  |
| <b>D.MIN</b> | 60  |                                                                                   |
| <b>H</b>     | 51  |                                                                                   |
| <b>R</b>     | 10  |                                                                                   |
|              |     |                                                                                   |
|              |     |                                                                                   |

**FORO STANDARD 35mm/STANDARD BORE 35mm**

1 inch = 25,4 mm

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-D30C0G   | 0G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-D30C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-D30C1G   | 1G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-D30C1SSG | 1SSG | settori <b>SALDATI / WELDED</b> segments                                        |
| XT-D30C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-D30C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-D30C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|            |     |                                                                                 |
|------------|-----|---------------------------------------------------------------------------------|
| XT-D30C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-D30C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-D30EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|            |   |                                                                            |
|------------|---|----------------------------------------------------------------------------|
| XT-D30TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-D30TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-D30TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**SETTORI DI RICAMBIO / REPLACEMENT SEGMENT**

|               |    |                                                                |
|---------------|----|----------------------------------------------------------------|
| XT-SETTD30C0G | 0G | Settori di ricambio per Pos. 0G / Replacement segments Pos. 0G |
| XT-SETTD30C1G | 1G | Settori di ricambio per Pos. 1G / Replacement segments Pos. 1G |

**COME SCEGLIERE IL KIT GIUSTO / HOW TO CHOOSE THE RIGHT KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6


**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

Kit granito e marmo : Pos. C0G,C1G,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO D40 SP 40**

|              |      |                                                                                   |
|--------------|------|-----------------------------------------------------------------------------------|
| <b>D.MAX</b> | 136  |  |
| <b>D.MIN</b> | 60   |                                                                                   |
| <b>H</b>     | 50   |                                                                                   |
| <b>R</b>     | 13,5 |                                                                                   |
|              |      |                                                                                   |
|              |      |                                                                                   |

**FORO STANDARD 35mm/STANDARD BORE 35mm**

1 inch = 25,4 mm

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-D40C0G   | 0G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-D40C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-D40C1G   | 1G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-D40C1SSG | 1SSG | settori <b>SALDATI / WELDED</b> segments                                        |
| XT-D40C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-D40C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-D40C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|            |     |                                                                                 |
|------------|-----|---------------------------------------------------------------------------------|
| XT-D40C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-D40C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-D40EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|            |   |                                                                            |
|------------|---|----------------------------------------------------------------------------|
| XT-D40TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-D40TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-D40TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**SETTORI DI RICAMBIO / REPLACEMENT SEGMENT**

|               |    |                                                                |
|---------------|----|----------------------------------------------------------------|
| XT-SETTD40C0G | 0G | Settori di ricambio per Pos. 0G / Replacement segments Pos. 0G |
| XT-SETTD40C1G | 1G | Settori di ricambio per Pos. 1G / Replacement segments Pos. 1G |

**COME SCEGLIERE IL KIT GIUSTO / HOW TO CHOOSE THE RIGHT KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

Kit granito e marmo : Pos. C0G,C1G,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO E2030 SP 30**

|              |    |
|--------------|----|
| <b>D.MAX</b> | 94 |
| <b>D.MIN</b> | 60 |
| <b>H</b>     | 42 |
| <b>R</b>     | 2  |
|              |    |
|              |    |
|              |    |
|              |    |

**FORO STANDARD 35mm/STANDARD BORE 35mm**

1 inch = 25,4 mm

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|               |      |                                                                                 |
|---------------|------|---------------------------------------------------------------------------------|
| XT-E2030C0G   | 0G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-E2030C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|               |      |                                                                                 |
|---------------|------|---------------------------------------------------------------------------------|
| XT-E2030C1G   | 1G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-E2030C1SSG | 1SSG | settori <b>SALDATI / WELDED</b> segments                                        |
| XT-E2030C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-E2030C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-E2030C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|              |     |                                                                                 |
|--------------|-----|---------------------------------------------------------------------------------|
| XT-E2030C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-E2030C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-E2030EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|              |   |                                                                            |
|--------------|---|----------------------------------------------------------------------------|
| XT-E2030TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-E2030TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-E2030TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**SETTORI DI RICAMBIO / REPLACEMENT SEGMENT**

|                 |    |                                                                |
|-----------------|----|----------------------------------------------------------------|
| XT-SETTE2030C0G | 0G | Settori di ricambio per Pos. 0G / Replacement segments Pos. 0G |
| XT-SETTE2030C1G | 1G | Settori di ricambio per Pos. 1G / Replacement segments Pos. 1G |

**COME SCEGLIERE IL KIT GIUSTO / HOW TO CHOOSE THE RIGHT KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA GOLD / GOLD PROFILING SET**


Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

Kit granito e marmo : Pos. C0G,C1G,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO E40 SP 40**

|              |     |
|--------------|-----|
| <b>D.MAX</b> | 100 |
| <b>D.MIN</b> | 60  |
| <b>H</b>     | 50  |
| <b>R</b>     | 3   |
|              |     |
|              |     |
|              |     |
|              |     |



**FORO STANDARD 35mm/STANDARD BORE 35mm**

1 inch = 25,4 mm

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-E40C0G   | 0G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-E40C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-E40C1G   | 1G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-E40C1SSG | 1SSG | settori <b>SALDATI / WELDED</b> segments                                        |
| XT-E40C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-E40C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-E40C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|            |     |                                                                                 |
|------------|-----|---------------------------------------------------------------------------------|
| XT-E40C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-E40C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-E40EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|            |   |                                                                            |
|------------|---|----------------------------------------------------------------------------|
| XT-E40TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-E40TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-E40TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**SETTORI DI RICAMBIO / REPLACEMENT SEGMENT**

|               |    |                                                                |
|---------------|----|----------------------------------------------------------------|
| XT-SETTE40C0G | 0G | Settori di ricambio per Pos. 0G / Replacement segments Pos. 0G |
| XT-SETTE40C1G | 1G | Settori di ricambio per Pos. 1G / Replacement segments Pos. 1G |

**COME SCEGLIERE IL KIT GIUSTO / HOW TO CHOOSE THE RIGHT KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA GOLD / GOLD PROFILING SET**


Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

Kit granito e marmo : Pos. C0G,C1G,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO F20 R10 SP 20**

|              |     |
|--------------|-----|
| <b>D.MAX</b> | 100 |
| <b>D.MIN</b> | 60  |
| <b>H</b>     | 42  |
| <b>R</b>     | 10  |
|              |     |
|              |     |
|              |     |
|              |     |



**FORO STANDARD 35mm/STANDARD BORE 35mm**

1 inch = 25,4 mm

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-F20C0G   | 0G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-F20C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-F20C1G   | 1G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-F20C1SSG | 1SSG | settori <b>SALDATI / WELDED</b> segments                                        |
| XT-F20C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-F20C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-F20C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|            |     |                                                                                 |
|------------|-----|---------------------------------------------------------------------------------|
| XT-F20C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-F20C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-F20EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|            |   |                                                                            |
|------------|---|----------------------------------------------------------------------------|
| XT-F20TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-F20TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-F20TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**SETTORI DI RICAMBIO / REPLACEMENT SEGMENT**

|               |    |                                                                |
|---------------|----|----------------------------------------------------------------|
| XT-SETTF20C0G | 0G | Settori di ricambio per Pos. 0G / Replacement segments Pos. 0G |
| XT-SETTF20C1G | 1G | Settori di ricambio per Pos. 1G / Replacement segments Pos. 1G |

**COME SCEGLIER IL KIT GIUSTO / HOW TO CHOOSE THE RIGTH KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

Kit granito e marmo : Pos. C0G,C1G,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO F30 R15 SP 30**

|              |     |                                              |
|--------------|-----|----------------------------------------------|
| <b>D.MAX</b> | 120 |                                              |
| <b>D.MIN</b> | 60  |                                              |
| <b>H</b>     | 42  |                                              |
| <b>R</b>     | 15  |                                              |
|              |     |                                              |
|              |     |                                              |
|              |     | <b>FORO STANDARD 35mm/STANDARD BORE 35mm</b> |
|              |     | <b>1 inch = 25,4 mm</b>                      |

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-F30C0G   | 0G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-F30C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-F30C1G   | 1G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-F30C1SSG | 1SSG | settori <b>SALDATI / WELDED</b> segments                                        |
| XT-F30C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-F30C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-F30C2MG  | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|            |     |                                                                                 |
|------------|-----|---------------------------------------------------------------------------------|
| XT-F30C1M  | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-F30C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-F30EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|            |   |                                                                            |
|------------|---|----------------------------------------------------------------------------|
| XT-F30TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-F30TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-F30TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**SETTORI DI RICAMBIO / REPLACEMENT SEGMENT**

|               |    |                                                                |
|---------------|----|----------------------------------------------------------------|
| XT-SETTF30C0G | 0G | Settori di ricambio per Pos. 0G / Replacement segments Pos. 0G |
| XT-SETTF30C1G | 1G | Settori di ricambio per Pos. 1G / Replacement segments Pos. 1G |

**COME SCEGLIER IL KIT GIUSTO / HOW TO CHOOSE THE RIGTH KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6


**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

Kit granito e marmo : Pos. C0G,C1G,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO F40 R20 SP 40**

|                         |     |                                                                                   |
|-------------------------|-----|-----------------------------------------------------------------------------------|
| <b>D.MAX</b>            | 140 |  |
| <b>D.MIN</b>            | 60  |                                                                                   |
| <b>H</b>                | 50  |                                                                                   |
| <b>R</b>                | 20  |                                                                                   |
|                         |     |                                                                                   |
|                         |     |                                                                                   |
|                         |     | <b>FORO STANDARD 35mm/STANDARD BORE 35mm</b>                                      |
| <b>1 inch = 25,4 mm</b> |     |                                                                                   |

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-F40C0G   | 0G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-F40C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-F40C1G   | 1G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-F40C1SSG | 1SSG | settori <b>SALDATI / WELDED</b> segments                                        |
| XT-F40C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-F40C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-F40C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|            |     |                                                                                 |
|------------|-----|---------------------------------------------------------------------------------|
| XT-F40C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-F40C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-F40EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|            |   |                                                                            |
|------------|---|----------------------------------------------------------------------------|
| XT-F40TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-F40TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-F40TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**SETTORI DI RICAMBIO / REPLACEMENT SEGMENT**

|               |    |                                                                |
|---------------|----|----------------------------------------------------------------|
| XT-SETTF40C0G | 0G | Settori di ricambio per Pos. 0G / Replacement segments Pos. 0G |
| XT-SETTF40C1G | 1G | Settori di ricambio per Pos. 1G / Replacement segments Pos. 1G |

**COME SCEGLIERE IL KIT GIUSTO / HOW TO CHOOSE THE RIGHT KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

Kit granito e marmo : Pos. C0G,C1G,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO FCD20 R5 SP 20**

|              |    |
|--------------|----|
| <b>D.MAX</b> | 80 |
| <b>D.MIN</b> | 60 |
| <b>H</b>     | 42 |
| <b>R</b>     | 5  |
|              |    |
|              |    |
|              |    |
|              |    |

**FORO STANDARD 35mm/STANDARD BORE 35mm**

1 inch = 25,4 mm

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|               |      |                                                                                 |
|---------------|------|---------------------------------------------------------------------------------|
| XT-FCD20C0G   | 0G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-FCD20C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|               |      |                                                                                 |
|---------------|------|---------------------------------------------------------------------------------|
| XT-FCD20C1G   | 1G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-FCD20C1SSG | 1SSG | settori <b>SALDATI / WELDED</b> segments                                        |
| XT-FCD20C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-FCD20C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-FCD20C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|              |     |                                                                                 |
|--------------|-----|---------------------------------------------------------------------------------|
| XT-FCD20C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-FCD20C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-FCD20EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|              |   |                                                                            |
|--------------|---|----------------------------------------------------------------------------|
| XT-FCD20TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-FCD20TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-FCD20TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**SETTORI DI RICAMBIO / REPLACEMENT SEGMENT**

|                 |    |                                                                |
|-----------------|----|----------------------------------------------------------------|
| XT-SETTFCD20C1G | 0G | Settori di ricambio per Pos. 0G / Replacement segments Pos. 0G |
| XT-SETTFCD20C0G | 1G | Settori di ricambio per Pos. 1G / Replacement segments Pos. 1G |

**COME SCEGLIER IL KIT GIUSTO / HOW TO CHOOSE THE RIGTH KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

Kit granito e marmo : Pos. C0G,C1G,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO FCD30 R10 SP 30**

|              |     |
|--------------|-----|
| <b>D.MAX</b> | 100 |
| <b>D.MIN</b> | 60  |
| <b>H</b>     | 42  |
| <b>R</b>     | 10  |
|              |     |
|              |     |
|              |     |
|              |     |

**FORO STANDARD 35mm/STANDARD BORE 35mm**

1 inch = 25,4 mm

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|               |      |                                                                                 |
|---------------|------|---------------------------------------------------------------------------------|
| XT-F20C0G     | 0G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-FCD30C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|               |      |                                                                                 |
|---------------|------|---------------------------------------------------------------------------------|
| XT-F20C1G     | 1G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-FCD30C1SSG | 1SSG | settori <b>SALDATI / WELDED</b> segments                                        |
| XT-FCD30C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-FCD30C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-FCD30C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|              |     |                                                                                 |
|--------------|-----|---------------------------------------------------------------------------------|
| XT-FCD30C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-FCD30C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-FCD30EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|              |   |                                                                            |
|--------------|---|----------------------------------------------------------------------------|
| XT-FCD30TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-FCD30TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-FCD30TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**SETTORI DI RICAMBIO / REPLACEMENT SEGMENT**

|               |    |                                                                |
|---------------|----|----------------------------------------------------------------|
| XT-SETTF20C0G | 0G | Settori di ricambio per Pos. 0G / Replacement segments Pos. 0G |
| XT-SETTF20C1G | 1G | Settori di ricambio per Pos. 1G / Replacement segments Pos. 1G |

**COME SCEGLIER IL KIT GIUSTO / HOW TO CHOOSE THE RIGTH KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6


**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

Kit granito e marmo : Pos. C0G,C1G,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO FCD40 R15 SP 40**

|              |     |                                                                                   |
|--------------|-----|-----------------------------------------------------------------------------------|
| <b>D.MAX</b> | 120 |  |
| <b>D.MIN</b> | 60  |                                                                                   |
| <b>H</b>     | 50  |                                                                                   |
| <b>R</b>     | 15  |                                                                                   |
|              |     |                                                                                   |
|              |     |                                                                                   |

**FORO STANDARD 35mm/STANDARD BORE 35mm**

1 inch = 25,4 mm

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|               |      |                                                                                 |
|---------------|------|---------------------------------------------------------------------------------|
| XT-F30C0G     | 0G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-FCD40C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|               |      |                                                                                 |
|---------------|------|---------------------------------------------------------------------------------|
| XT-F30C1G     | 1G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-FCD40C1SSG | 1SSG | settori <b>SALDATI / WELDED</b> segments                                        |
| XT-FCD40C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-FCD40C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-FCD40C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|              |     |                                                                                 |
|--------------|-----|---------------------------------------------------------------------------------|
| XT-FCD40C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-FCD40C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-FCD40EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|              |   |                                                                            |
|--------------|---|----------------------------------------------------------------------------|
| XT-FCD40TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-FCD40TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-FCD40TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**SETTORI DI RICAMBIO / REPLACEMENT SEGMENT**

|               |    |                                                                |
|---------------|----|----------------------------------------------------------------|
| XT-SETTF30C0G | 0G | Settori di ricambio per Pos. 0G / Replacement segments Pos. 0G |
| XT-SETTF30C1G | 1G | Settori di ricambio per Pos. 1G / Replacement segments Pos. 1G |

**COME SCEGLIERE IL KIT GIUSTO / HOW TO CHOOSE THE RIGHT KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6


**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

Kit granito e marmo : Pos. C0G,C1G,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO FV30 SP 30**

|                         |     |                                                                                   |
|-------------------------|-----|-----------------------------------------------------------------------------------|
| <b>D.MAX</b>            | 102 |  |
| <b>D.MIN</b>            | 60  |                                                                                   |
| <b>H</b>                | 42  |                                                                                   |
| <b>R-A</b>              | 7,5 |                                                                                   |
| <b>R-B</b>              | 7,5 |                                                                                   |
|                         |     |                                                                                   |
|                         |     | <b>FORO STANDARD 35mm/STANDARD BORE 35mm</b>                                      |
| <b>1 inch = 25,4 mm</b> |     |                                                                                   |

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|              |      |                                                                     |
|--------------|------|---------------------------------------------------------------------|
| XT-FV30C0SSG | 0SSG | Mola a settori SALDATI Pos. 0G / Wheel with WELDED segments Pos. 0G |
|--------------|------|---------------------------------------------------------------------|

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|              |      |                                                                     |
|--------------|------|---------------------------------------------------------------------|
| XT-FV30C1SSG | 1SSG | Mola a settori SALDATI Pos. 1G / Wheel with WELDED segments Pos. 1G |
| XT-FV30C1MG  | 1MG  | ELETTRODEPOSTA marmo e granito / ELECTROPLATED marble and granite   |
| XT-FV30C1MP  | 1MP  | ELETTRODEPOSTA Peperino / ELECTROPLATED Peperino                    |
| XT-FV30C1M   | 1M   | ELETTRODEPOSTA marmo / ELECTROPLATED marble                         |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|             |     |                                                                   |
|-------------|-----|-------------------------------------------------------------------|
| XT-FV30C2MG | 2MG | ELETTRODEPOSTA marmo e granito / ELECTROPLATED marble and granite |
| XT-FV30C2M  | 2M  | ELETTRODEPOSTA marmo / ELECTROPLATED marble                       |
| XT-FV30EXC3 | 3   | ELETTRODEPOSTA marmo e granito / ELECTROPLATED marble and granite |

**MOLE PER LUCIDATURA TRUETIME / POLISHING WHEELS TRUETIME**

|             |   |                                                                            |
|-------------|---|----------------------------------------------------------------------------|
| XT-FV30TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-FV30TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-FV30TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**COME SCEGLIERE IL KIT GIUSTO / HOW TO CHOOSE THE RIGHT KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO F30CLR10 SP 30**

|                         |     |                                              |
|-------------------------|-----|----------------------------------------------|
| <b>D.MAX</b>            | 105 |                                              |
| <b>D.MIN</b>            | 60  |                                              |
| <b>H</b>                | 50  |                                              |
| <b>R</b>                | 10  |                                              |
|                         |     |                                              |
|                         |     |                                              |
|                         |     | <b>FORO STANDARD 35mm/STANDARD BORE 35mm</b> |
| <b>1 inch = 25,4 mm</b> |     |                                              |

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|                  |      |                                                                                 |
|------------------|------|---------------------------------------------------------------------------------|
| XT-F20C0G        | 0G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-F30CLR10C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|                  |      |                                                                                 |
|------------------|------|---------------------------------------------------------------------------------|
| XT-F30CLR10C1G   | 1G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-F30CLR10C1SSG | 1SSG | settori <b>SALDATI / WELDED</b> segments                                        |
| XT-F30CLR10C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-F30CLR10C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-F30CLR10C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|                 |     |                                                                                 |
|-----------------|-----|---------------------------------------------------------------------------------|
| XT-F30CLR10C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-F30CLR10C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-F30CLR10EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|                 |   |                                                                            |
|-----------------|---|----------------------------------------------------------------------------|
| XT-F30CLR10TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-F30CLR10TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-F30CLR10TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**SETTORI DI RICAMBIO / REPLACEMENT SEGMENT**

|                    |    |                                                                |
|--------------------|----|----------------------------------------------------------------|
| XT-SETTF20C0G      | 0G | Settori di ricambio per Pos. 0G / Replacement segments Pos. 0G |
| XT-SETTF30CLR10C1G | 1G | Settori di ricambio per Pos. 1G / Replacement segments Pos. 1G |

**COME SCEGLIERE IL KIT GIUSTO / HOW TO CHOOSE THE RIGHT KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

Kit granito e marmo : Pos. C0G,C1G,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO G20 SP 20**

|              |     |  |
|--------------|-----|--|
| <b>D.MAX</b> | 96  |  |
| <b>D.MIN</b> | 60  |  |
| <b>H</b>     | 39  |  |
| <b>R A</b>   | 10  |  |
| <b>R B</b>   | 4,5 |  |
|              |     |  |

FORO STANDARD 35mm/STANDARD BORE 35mm

1 inch = 25,4 mm

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-G20C0G   | 0G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-G20C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-G20C1G   | 1G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-G20C1SSG | 1SSG | settori <b>SALDATI / WELDED</b> segments                                        |
| XT-G20C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-G20C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-G20C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|            |     |                                                                                 |
|------------|-----|---------------------------------------------------------------------------------|
| XT-G20C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-G20C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-G20EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|            |   |                                                                            |
|------------|---|----------------------------------------------------------------------------|
| XT-G20TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-G20TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-G20TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**SETTORI DI RICAMBIO / REPLACEMENT SEGMENT**

|               |    |                                                                |
|---------------|----|----------------------------------------------------------------|
| XT-SETTG20C0G | 0G | Settori di ricambio per Pos. 0G / Replacement segments Pos. 0G |
| XT-SETTG20C1G | 1G | Settori di ricambio per Pos. 1G / Replacement segments Pos. 1G |

**COME SCEGLIERE IL KIT GIUSTO / HOW TO CHOOSE THE RIGHT KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6


**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

Kit granito e marmo : Pos. C0G,C1G,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO G30 SP 30**

|              |     |                                                                                   |
|--------------|-----|-----------------------------------------------------------------------------------|
| <b>D.MAX</b> | 110 |  |
| <b>D.MIN</b> | 60  |                                                                                   |
| <b>H</b>     | 42  |                                                                                   |
| <b>R A</b>   | 15  |                                                                                   |
| <b>R B</b>   | 6   |                                                                                   |
|              |     |                                                                                   |
|              |     | <b>FORO STANDARD 35mm/STANDARD BORE 35mm</b>                                      |
|              |     | <b>1 inch = 25,4 mm</b>                                                           |

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-G30C0G   | 0G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-G30C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-G30C1G   | 1G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-G30C1SSG | 1SSG | settori <b>SALDATI / WELDED</b> segments                                        |
| XT-G30C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-G30C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-G30C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|            |     |                                                                                 |
|------------|-----|---------------------------------------------------------------------------------|
| XT-G30C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-G30C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-G30EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|            |   |                                                                            |
|------------|---|----------------------------------------------------------------------------|
| XT-G30TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-G30TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-G30TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**SETTORI DI RICAMBIO / REPLACEMENT SEGMENT**

|               |    |                                                                |
|---------------|----|----------------------------------------------------------------|
| XT-SETTG30C0G | 0G | Settori di ricambio per Pos. 0G / Replacement segments Pos. 0G |
| XT-SETTG30C1G | 1G | Settori di ricambio per Pos. 1G / Replacement segments Pos. 1G |

**COME SCEGLIER IL KIT GIUSTO / HOW TO CHOOSE THE RIGTH KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

Kit granito e marmo : Pos. C0G,C1G,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO H20 R15 SP 20**

|              |    |                                              |
|--------------|----|----------------------------------------------|
| <b>D.MAX</b> | 80 |                                              |
| <b>D.MIN</b> | 60 |                                              |
| <b>H</b>     | 42 |                                              |
| <b>R A</b>   | 10 |                                              |
| <b>R B</b>   | 2  |                                              |
|              |    |                                              |
|              |    | <b>FORO STANDARD 35mm/STANDARD BORE 35mm</b> |
|              |    | <b>1 inch = 25,4 mm</b>                      |

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-H20C0G   | 0G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-H20C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-H20C1G   | 1G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-H20C1SSG | 1SSG | settori <b>SALDATI / WELDED</b> segments                                        |
| XT-H20C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-H20C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-H20C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|            |     |                                                                                 |
|------------|-----|---------------------------------------------------------------------------------|
| XT-H20C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-H20C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-H20EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|            |   |                                                                            |
|------------|---|----------------------------------------------------------------------------|
| XT-H20TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-H20TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-H20TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**SETTORI DI RICAMBIO / REPLACEMENT SEGMENT**

|               |    |                                                                |
|---------------|----|----------------------------------------------------------------|
| XT-SETTH20C0G | 0G | Settori di ricambio per Pos. 0G / Replacement segments Pos. 0G |
| XT-SETTH20C1G | 1G | Settori di ricambio per Pos. 1G / Replacement segments Pos. 1G |

**COME SCEGLIER IL KIT GIUSTO / HOW TO CHOOSE THE RIGH KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

Kit granito e marmo : Pos. C0G,C1G,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO H30 R20 SP 30**

|              |     |
|--------------|-----|
| <b>D.MAX</b> | 100 |
| <b>D.MIN</b> | 60  |
| <b>H</b>     | 42  |
| <b>R A</b>   | 20  |
| <b>R B</b>   | 2   |
|              |     |
|              |     |
|              |     |

**FORO STANDARD 35mm/STANDARD BORE 35mm**

1 inch = 25,4 mm

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-H30C0G   | 0G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-H30C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-H30C1G   | 1G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-H30C1SSG | 1SSG | settori <b>SALDATI / WELDED</b> segments                                        |
| XT-H30C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-H30C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-H30C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|            |     |                                                                                 |
|------------|-----|---------------------------------------------------------------------------------|
| XT-H30C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-H30C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-H30EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|            |   |                                                                            |
|------------|---|----------------------------------------------------------------------------|
| XT-H30TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-H30TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-H30TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**SETTORI DI RICAMBIO / REPLACEMENT SEGMENT**

|               |    |                                                                |
|---------------|----|----------------------------------------------------------------|
| XT-SETTH30C0G | 0G | Settori di ricambio per Pos. 0G / Replacement segments Pos. 0G |
| XT-SETTH30C1G | 1G | Settori di ricambio per Pos. 1G / Replacement segments Pos. 1G |

**COME SCEGLIER IL KIT GIUSTO / HOW TO CHOOSE THE RIGTH KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

Kit granito e marmo : Pos. C0G,C1G,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO H40 R35 SP 40**

|              |     |
|--------------|-----|
| <b>D.MAX</b> | 130 |
| <b>D.MIN</b> | 60  |
| <b>H</b>     | 42  |
| <b>R A</b>   | 35  |
| <b>R B</b>   | 2   |
|              |     |
|              |     |
|              |     |

**FORO STANDARD 35mm/STANDARD BORE 35mm**

1 inch = 25,4 mm

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-H40C0G   | 0G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-H40C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-H40C1G   | 1G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-H40C1SSG | 1SSG | settori <b>SALDATI / WELDED</b> segments                                        |
| XT-H40C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-H40C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-H40C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|            |     |                                                                                 |
|------------|-----|---------------------------------------------------------------------------------|
| XT-H40C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-H40C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-H40EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|            |   |                                                                            |
|------------|---|----------------------------------------------------------------------------|
| XT-H40TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-H40TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-H40TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**SETTORI DI RICAMBIO / REPLACEMENT SEGMENT**

|               |    |                                                                |
|---------------|----|----------------------------------------------------------------|
| XT-SETTH40C0G | 0G | Settori di ricambio per Pos. 0G / Replacement segments Pos. 0G |
| XT-SETTH40C1G | 1G | Settori di ricambio per Pos. 1G / Replacement segments Pos. 1G |

**COME SCEGLIER IL KIT GIUSTO / HOW TO CHOOSE THE RIGTH KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA GOLD / GOLD PROFILING SET**


Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

Kit granito e marmo : Pos. C0G,C1G,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO HR25+5+3 R25 SP 30**

|              |     |
|--------------|-----|
| <b>D.MAX</b> | 120 |
| <b>D.MIN</b> | 70  |
| <b>H</b>     | 42  |
| <b>R A</b>   | 25  |
| <b>R B</b>   | 2   |
|              |     |
|              |     |
|              |     |



**FORO STANDARD 35mm/STANDARD BORE 35mm**

1 inch = 25,4 mm

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|                 |      |                                                                                 |
|-----------------|------|---------------------------------------------------------------------------------|
| XT-HR25S16C0G   | 0G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-HR25S16C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|                 |      |                                                                                 |
|-----------------|------|---------------------------------------------------------------------------------|
| XT-HR25S16C1G   | 1G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-HR25S16C1SSG | 1SSG | settori <b>SALDATI / WELDED</b> segments                                        |
| XT-HR25+5+3C1MG | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-HR25+5+3C1MP | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-HR25+5+3C1M  | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|                 |     |                                                                                 |
|-----------------|-----|---------------------------------------------------------------------------------|
| XT-HR25+5+3C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-HR25+5+3C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-HR25+5+3EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|                 |   |                                                                            |
|-----------------|---|----------------------------------------------------------------------------|
| XT-HR25+5+3TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-HR25+5+3TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-HR25+5+3TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**SETTORI DI RICAMBIO / REPLACEMENT SEGMENT**

|                   |    |                                                                |
|-------------------|----|----------------------------------------------------------------|
| XT-SETTHR25S16C0G | 0G | Settori di ricambio per Pos. 0G / Replacement segments Pos. 0G |
| XT-SETTHR25S16C1G | 1G | Settori di ricambio per Pos. 1G / Replacement segments Pos. 1G |

**COME SCEGLIER IL KIT GIUSTO / HOW TO CHOOSE THE RIGTH KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6


**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

Kit granito e marmo : Pos. C0G,C1G,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO I20 R6 SP 20**

|              |    |                                                                                   |
|--------------|----|-----------------------------------------------------------------------------------|
| <b>D.MAX</b> | 66 |  |
| <b>D.MIN</b> | 60 |                                                                                   |
| <b>H</b>     | 34 |                                                                                   |
| <b>R</b>     | 6  |                                                                                   |
|              |    |                                                                                   |
|              |    |                                                                                   |
|              |    | <b>FORO STANDARD 35mm/STANDARD BORE 35mm</b>                                      |
|              |    | <b>1 inch = 25,4 mm</b>                                                           |

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-I20C0G   | 0G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-I20C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-I20C1G   | 1G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-I20C1SSG | 1SSG | settori <b>SALDATI / WELDED</b> segments                                        |
| XT-I20C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-I20C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-I20C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|            |     |                                                                                 |
|------------|-----|---------------------------------------------------------------------------------|
| XT-I20C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-I20C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-I20EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|            |   |                                                                            |
|------------|---|----------------------------------------------------------------------------|
| XT-I20TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-I20TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-I20TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**SETTORI DI RICAMBIO / REPLACEMENT SEGMENT**

|               |    |                                                                |
|---------------|----|----------------------------------------------------------------|
| XT-SETTI20C0G | 0G | Settori di ricambio per Pos. 0G / Replacement segments Pos. 0G |
| XT-SETTI20C1G | 1G | Settori di ricambio per Pos. 1G / Replacement segments Pos. 1G |

**COME SCEGLIERE IL KIT GIUSTO / HOW TO CHOOSE THE RIGHT KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA GOLD / GOLD PROFILING SET**


Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

Kit granito e marmo : Pos. C0G,C1G,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO I30 R10 SP 30**

|              |    |
|--------------|----|
| <b>D.MAX</b> | 84 |
| <b>D.MIN</b> | 60 |
| <b>H</b>     | 42 |
| <b>R</b>     | 10 |
|              |    |
|              |    |
|              |    |
|              |    |



**FORO STANDARD 35mm/STANDARD BORE 35mm**

1 inch = 25,4 mm

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-I30C0G   | 0G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-I30C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-I30C1G   | 1G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-I30C1SSG | 1SSG | settori <b>SALDATI / WELDED</b> segments                                        |
| XT-I30C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-I30C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-I30C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|            |     |                                                                                 |
|------------|-----|---------------------------------------------------------------------------------|
| XT-I30C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-I30C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-I30EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|            |   |                                                                            |
|------------|---|----------------------------------------------------------------------------|
| XT-I30TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-I30TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-I30TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**SETTORI DI RICAMBIO / REPLACEMENT SEGMENT**

|               |    |                                                                |
|---------------|----|----------------------------------------------------------------|
| XT-SETTI30C0G | 0G | Settori di ricambio per Pos. 0G / Replacement segments Pos. 0G |
| XT-SETTI30C1G | 1G | Settori di ricambio per Pos. 1G / Replacement segments Pos. 1G |

**COME SCEGLIER IL KIT GIUSTO / HOW TO CHOOSE THE RIGTH KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6


**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

Kit granito e marmo : Pos. C0G,C1G,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO I40 R15 SP 40**

|              |    |                                                                                   |
|--------------|----|-----------------------------------------------------------------------------------|
| <b>D.MAX</b> | 92 |  |
| <b>D.MIN</b> | 60 |                                                                                   |
| <b>H</b>     | 46 |                                                                                   |
| <b>R</b>     | 15 |                                                                                   |
|              |    |                                                                                   |
|              |    |                                                                                   |
|              |    | <b>FORO STANDARD 35mm/STANDARD BORE 35mm</b>                                      |
|              |    | <b>1 inch = 25,4 mm</b>                                                           |

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-I40C0G   | 0G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-I40C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-I40C1G   | 1G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-I40C1SSG | 1SSG | settori <b>SALDATI / WELDED</b> segments                                        |
| XT-I40C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-I40C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-I40C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|            |     |                                                                                 |
|------------|-----|---------------------------------------------------------------------------------|
| XT-I40C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-I40C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-I40EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|            |   |                                                                            |
|------------|---|----------------------------------------------------------------------------|
| XT-I40TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-I40TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-I40TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**SETTORI DI RICAMBIO / REPLACEMENT SEGMENT**

|               |    |                                                                |
|---------------|----|----------------------------------------------------------------|
| XT-SETTI40C0G | 0G | Settori di ricambio per Pos. 0G / Replacement segments Pos. 0G |
| XT-SETTI40C1G | 1G | Settori di ricambio per Pos. 1G / Replacement segments Pos. 1G |

**COME SCEGLIERE IL KIT GIUSTO / HOW TO CHOOSE THE RIGHT KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA GOLD / GOLD PROFILING SET**


Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

Kit granito e marmo : Pos. C0G,C1G,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO L20 R10 SP 20**

|              |    |
|--------------|----|
| <b>D.MAX</b> | 80 |
| <b>D.MIN</b> | 60 |
| <b>H</b>     | 42 |
| <b>R</b>     | 10 |
|              |    |
|              |    |
|              |    |
|              |    |



**FORO STANDARD 35mm/STANDARD BORE 35mm**

1 inch = 25,4 mm

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-L20C0G   | 0G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-L20C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-L20C1G   | 1G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-L20C1SSG | 1SSG | settori <b>SALDATI / WELDED</b> segments                                        |
| XT-L20C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-L20C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-L20C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|            |     |                                                                                 |
|------------|-----|---------------------------------------------------------------------------------|
| XT-L20C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-L20C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-L20EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|            |   |                                                                            |
|------------|---|----------------------------------------------------------------------------|
| XT-L20TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-L20TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-L20TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**SETTORI DI RICAMBIO / REPLACEMENT SEGMENT**

|               |    |                                                                |
|---------------|----|----------------------------------------------------------------|
| XT-SETTL20C0G | 0G | Settori di ricambio per Pos. 0G / Replacement segments Pos. 0G |
| XT-SETTL20C1G | 1G | Settori di ricambio per Pos. 1G / Replacement segments Pos. 1G |

**COME SCEGLIERE IL KIT GIUSTO / HOW TO CHOOSE THE RIGHT KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

Kit granito e marmo : Pos. C0G,C1G,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO L30 R15 SP 30**

|              |    |
|--------------|----|
| <b>D.MAX</b> | 90 |
| <b>D.MIN</b> | 60 |
| <b>H</b>     | 42 |
| <b>R</b>     | 15 |
|              |    |
|              |    |
|              |    |
|              |    |

**FORO STANDARD 35mm/STANDARD BORE 35mm**

**1 inch = 25,4 mm**

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-L30C0G   | 0G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-L30C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-L30C1G   | 1G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-L30C1SSG | 1SSG | settori <b>SALDATI / WELDED</b> segments                                        |
| XT-L30C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-L30C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-L30C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|            |     |                                                                                 |
|------------|-----|---------------------------------------------------------------------------------|
| XT-L30C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-L30C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-L30EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|            |   |                                                                            |
|------------|---|----------------------------------------------------------------------------|
| XT-L30TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-L30TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-L30TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**SETTORI DI RICAMBIO / REPLACEMENT SEGMENT**

|               |    |                                                                |
|---------------|----|----------------------------------------------------------------|
| XT-SETTL30C0G | 0G | Settori di ricambio per Pos. 0G / Replacement segments Pos. 0G |
| XT-SETTL30C1G | 1G | Settori di ricambio per Pos. 1G / Replacement segments Pos. 1G |

**COME SCEGLIERE IL KIT GIUSTO / HOW TO CHOOSE THE RIGHT KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

Kit granito e marmo : Pos. C0G,C1G,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO L40 R20 SP 40**

|              |     |
|--------------|-----|
| <b>D.MAX</b> | 100 |
| <b>D.MIN</b> | 60  |
| <b>H</b>     | 50  |
| <b>R</b>     | 20  |
|              |     |
|              |     |
|              |     |
|              |     |

**FORO STANDARD 35mm/STANDARD BORE 35mm**

1 inch = 25,4 mm

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-L40C0G   | 0G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-L40C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-L40C1G   | 1G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-L40C1SSG | 1SSG | settori <b>SALDATI / WELDED</b> segments                                        |
| XT-L40C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-L40C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-L40C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|            |     |                                                                                 |
|------------|-----|---------------------------------------------------------------------------------|
| XT-L40C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-L40C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-L40EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|            |   |                                                                            |
|------------|---|----------------------------------------------------------------------------|
| XT-L40TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-L40TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-L40TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**SETTORI DI RICAMBIO / REPLACEMENT SEGMENT**

|               |    |                                                                |
|---------------|----|----------------------------------------------------------------|
| XT-SETTL40C0G | 0G | Settori di ricambio per Pos. 0G / Replacement segments Pos. 0G |
| XT-SETTL40C1G | 1G | Settori di ricambio per Pos. 1G / Replacement segments Pos. 1G |

**COME SCEGLIER IL KIT GIUSTO / HOW TO CHOOSE THE RIGTH KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

Kit granito e marmo : Pos. C0G,C1G,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO L50 R25 SP 50**

|              |     |
|--------------|-----|
| <b>D.MAX</b> | 110 |
| <b>D.MIN</b> | 60  |
| <b>H</b>     | 55  |
| <b>R</b>     | 25  |
|              |     |
|              |     |
|              |     |
|              |     |

**FORO STANDARD 35mm/STANDARD BORE 35mm**

1 inch = 25,4 mm

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-L50C0G   | 0G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-L50C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-L50C1G   | 1G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-L50C1SSG | 1SSG | settori <b>SALDATI / WELDED</b> segments                                        |
| XT-L50C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-L50C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-L50C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|            |     |                                                                                 |
|------------|-----|---------------------------------------------------------------------------------|
| XT-L50C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-L50C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-L50EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|            |   |                                                                            |
|------------|---|----------------------------------------------------------------------------|
| XT-L50TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-L50TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-L50TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**SETTORI DI RICAMBIO / REPLACEMENT SEGMENT**

|               |    |                                                                |
|---------------|----|----------------------------------------------------------------|
| XT-SETTL50C0G | 0G | Settori di ricambio per Pos. 0G / Replacement segments Pos. 0G |
| XT-SETTL50C1G | 1G | Settori di ricambio per Pos. 1G / Replacement segments Pos. 1G |

**COME SCEGLIERE IL KIT GIUSTO / HOW TO CHOOSE THE RIGHT KIT**

**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

Kit granito e marmo : Pos. C0G,C1G,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO L60 R30 SP 60**

|                         |     |                                              |
|-------------------------|-----|----------------------------------------------|
| <b>D.MAX</b>            | 120 |                                              |
| <b>D.MIN</b>            | 60  |                                              |
| <b>H</b>                | 65  |                                              |
| <b>R</b>                | 30  |                                              |
|                         |     |                                              |
|                         |     |                                              |
|                         |     | <b>FORO STANDARD 35mm/STANDARD BORE 35mm</b> |
| <b>1 inch = 25,4 mm</b> |     |                                              |

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-L60C0G   | 0G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-L60C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-L60C1G   | 1G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-L60C1SSG | 1SSG | settori <b>SALDATI / WELDED</b> segments                                        |
| XT-L60C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-L60C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-L60C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|            |     |                                                                                 |
|------------|-----|---------------------------------------------------------------------------------|
| XT-L60C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-L60C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-L60EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|            |   |                                                                            |
|------------|---|----------------------------------------------------------------------------|
| XT-L60TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-L60TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-L60TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**SETTORI DI RICAMBIO / REPLACEMENT SEGMENT**

|               |    |                                                                |
|---------------|----|----------------------------------------------------------------|
| XT-SETTL60C0G | 0G | Settori di ricambio per Pos. 0G / Replacement segments Pos. 0G |
| XT-SETTL60C1G | 1G | Settori di ricambio per Pos. 1G / Replacement segments Pos. 1G |

**COME SCEGLIER IL KIT GIUSTO / HOW TO CHOOSE THE RIGTH KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA GOLD / GOLD PROFILING SET**


Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

Kit granito e marmo : Pos. C0G,C1G,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO M20 SP 20**

|              |    |
|--------------|----|
| <b>D.MAX</b> | 73 |
| <b>D.MIN</b> | 60 |
| <b>H</b>     | 30 |
| <b>R A</b>   | 5  |
| <b>R B</b>   | 10 |
|              |    |
|              |    |
|              |    |



**FORO STANDARD 35mm/STANDARD BORE 35mm**

**1 inch = 25,4 mm**

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|             |      |                                                                       |
|-------------|------|-----------------------------------------------------------------------|
| XT-M20C0SSG | 0SSG | settori sinterizzati <b>SALDATI</b> / <b>WELDED</b> sintered segments |
|-------------|------|-----------------------------------------------------------------------|

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-M20C1SSG | 1SSG | settori sinterizzati <b>SALDATI</b> / <b>WELDED</b> sintered segments           |
| XT-M20C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-M20C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-M20C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|            |     |                                                                                 |
|------------|-----|---------------------------------------------------------------------------------|
| XT-M20C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-M20C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-M20EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUETIME / POLISHING WHEELS TRUETIME**

|            |   |                                                                            |
|------------|---|----------------------------------------------------------------------------|
| XT-M20TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-M20TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-M20TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**COME SCEGLIERE IL KIT GIUSTO / HOW TO CHOOSE THE RIGHT KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**


Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO M30 SP 30**

|              |    |                                                                                   |
|--------------|----|-----------------------------------------------------------------------------------|
| <b>D.MAX</b> | 80 |  |
| <b>D.MIN</b> | 60 |                                                                                   |
| <b>H</b>     | 42 |                                                                                   |
| <b>R A</b>   | 8  |                                                                                   |
| <b>R B</b>   | 15 |                                                                                   |
|              |    |                                                                                   |
|              |    | <b>FORO STANDARD 35mm/STANDARD BORE 35mm</b>                                      |
|              |    | <b>1 inch = 25,4 mm</b>                                                           |

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|             |      |                                                                |
|-------------|------|----------------------------------------------------------------|
| XT-M30C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments |
|-------------|------|----------------------------------------------------------------|

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-M30C1SSG | 1SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |
| XT-M30C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-M30C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-M30C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|            |     |                                                                                 |
|------------|-----|---------------------------------------------------------------------------------|
| XT-M30C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-M30C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-M30EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|            |   |                                                                            |
|------------|---|----------------------------------------------------------------------------|
| XT-M30TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-M30TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-M30TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**COME SCEGLIER IL KIT GIUSTO / HOW TO CHOOSE THE RIGH KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6


**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO M40 SP 40**

|              |    |
|--------------|----|
| <b>D.MAX</b> | 90 |
| <b>D.MIN</b> | 60 |
| <b>H</b>     | 50 |
| <b>R A</b>   | 10 |
| <b>R B</b>   | 20 |
|              |    |
|              |    |
|              |    |



FORO STANDARD 35mm/STANDARD BORE 35mm

1 inch = 25,4 mm

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|             |      |                                                                       |
|-------------|------|-----------------------------------------------------------------------|
| XT-M40C0SSG | 0SSG | settori sinterizzati <b>SALDATI</b> / <b>WELDED</b> sintered segments |
|-------------|------|-----------------------------------------------------------------------|

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-M40C1SSG | 1SSG | settori sinterizzati <b>SALDATI</b> / <b>WELDED</b> sintered segments           |
| XT-M40C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-M40C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-M40C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|            |     |                                                                                 |
|------------|-----|---------------------------------------------------------------------------------|
| XT-M40C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-M40C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-M40EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|            |   |                                                                            |
|------------|---|----------------------------------------------------------------------------|
| XT-M40TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-M40TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-M40TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**COME SCEGLIER IL KIT GIUSTO / HOW TO CHOOSE THE RIGH KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO N20 SP 20**

|                         |    |                                              |
|-------------------------|----|----------------------------------------------|
| <b>D.MAX</b>            | 71 |                                              |
| <b>D.MIN</b>            | 60 |                                              |
| <b>H</b>                | 36 |                                              |
| <b>R</b>                | 4  |                                              |
|                         |    |                                              |
|                         |    |                                              |
|                         |    | <b>FORO STANDARD 35mm/STANDARD BORE 35mm</b> |
| <b>1 inch = 25,4 mm</b> |    |                                              |

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|             |      |                                                                |
|-------------|------|----------------------------------------------------------------|
| XT-N20C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments |
|-------------|------|----------------------------------------------------------------|

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-N20C1SSG | 1SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |
| XT-N20C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-N20C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-N20C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|            |     |                                                                                 |
|------------|-----|---------------------------------------------------------------------------------|
| XT-N20C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-N20C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-N20EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|            |   |                                                                            |
|------------|---|----------------------------------------------------------------------------|
| XT-N20TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-N20TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-N20TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**COME SCEGLIER IL KIT GIUSTO / HOW TO CHOOSE THE RIGH KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6


**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO N30 SP 30**

|              |    |
|--------------|----|
| <b>D.MAX</b> | 80 |
| <b>D.MIN</b> | 60 |
| <b>H</b>     | 42 |
| <b>R A</b>   | 6  |
| <b>R B</b>   | 18 |
|              |    |
|              |    |
|              |    |



**FORO STANDARD 35mm/STANDARD BORE 35mm**

1 inch = 25,4 mm

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|             |      |                                                                       |
|-------------|------|-----------------------------------------------------------------------|
| XT-N30C0SSG | 0SSG | settori sinterizzati <b>SALDATI</b> / <b>WELDED</b> sintered segments |
|-------------|------|-----------------------------------------------------------------------|

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-N30C1SSG | 1SSG | settori sinterizzati <b>SALDATI</b> / <b>WELDED</b> sintered segments           |
| XT-N30C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-N30C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-N30C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|            |     |                                                                                 |
|------------|-----|---------------------------------------------------------------------------------|
| XT-N30C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-N30C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-N30EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|            |   |                                                                            |
|------------|---|----------------------------------------------------------------------------|
| XT-N30TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-N30TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-N30TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**COME SCEGLIER IL KIT GIUSTO / HOW TO CHOOSE THE RIGH KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**


Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO N40 SP 40**

|              |    |                                                                                   |
|--------------|----|-----------------------------------------------------------------------------------|
| <b>D.MAX</b> | 90 |  |
| <b>D.MIN</b> | 60 |                                                                                   |
| <b>H</b>     | 42 |                                                                                   |
| <b>R A</b>   | 10 |                                                                                   |
| <b>R B</b>   | 20 |                                                                                   |
|              |    |                                                                                   |
|              |    | <b>FORO STANDARD 35mm/STANDARD BORE 35mm</b>                                      |
|              |    | <b>1 inch = 25,4 mm</b>                                                           |

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|             |      |                                                                |
|-------------|------|----------------------------------------------------------------|
| XT-N30C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments |
|-------------|------|----------------------------------------------------------------|

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-N30C1SSG | 1SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |
| XT-N40C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-N40C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-N40C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|            |     |                                                                                 |
|------------|-----|---------------------------------------------------------------------------------|
| XT-N40C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-N40C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-N40EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUETIME / POLISHING WHEELS TRUETIME**

|            |   |                                                                            |
|------------|---|----------------------------------------------------------------------------|
| XT-N40TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-N40TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-N40TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**COME SCEGLIER IL KIT GIUSTO / HOW TO CHOOSE THE RIGHT KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6


**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO O20 R9 SP 20**

|              |    |
|--------------|----|
| <b>D.MAX</b> | 96 |
| <b>D.MIN</b> | 60 |
| <b>H</b>     | 42 |
| <b>R</b>     | 9  |
|              |    |
|              |    |
|              |    |
|              |    |



**FORO STANDARD 35mm/STANDARD BORE 35mm**

1 inch = 25,4 mm

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-O20C0G   | 0G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-O20C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-O20C1G   | 1G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-O20C1SSG | 1SSG | settori <b>SALDATI / WELDED</b> segments                                        |
| XT-O20C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-O20C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-O20C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|            |     |                                                                                 |
|------------|-----|---------------------------------------------------------------------------------|
| XT-O20C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-O20C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-O20EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|            |   |                                                                            |
|------------|---|----------------------------------------------------------------------------|
| XT-O20TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-O20TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-O20TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**SETTORI DI RICAMBIO / REPLACEMENT SEGMENT**

|               |    |                                                                |
|---------------|----|----------------------------------------------------------------|
| XT-SETTO20C0G | 0G | Settori di ricambio per Pos. 0G / Replacement segments Pos. 0G |
| XT-SETTO20C1G | 1G | Settori di ricambio per Pos. 1G / Replacement segments Pos. 1G |

**COME SCEGLIERE IL KIT GIUSTO / HOW TO CHOOSE THE RIGHT KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA GOLD / GOLD PROFILING SET**


Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

Kit granito e marmo : Pos. C0G,C1G,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO O30 R13 SP 30**

|              |     |
|--------------|-----|
| <b>D.MAX</b> | 110 |
| <b>D.MIN</b> | 60  |
| <b>H</b>     | 42  |
| <b>R</b>     | 13  |
|              |     |
|              |     |
|              |     |
|              |     |



**FORO STANDARD 35mm/STANDARD BORE 35mm**

1 inch = 25,4 mm

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-O30C0G   | 0G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-O30C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-O30C1G   | 1G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-O30C1SSG | 1SSG | settori <b>SALDATI / WELDED</b> segments                                        |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|            |     |                                                                                 |
|------------|-----|---------------------------------------------------------------------------------|
| XT-O30C1MG | 1MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-O30C1MP | 1MP | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-O30C1M  | 1M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-O30C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|            |    |                                                                                 |
|------------|----|---------------------------------------------------------------------------------|
| XT-O30C2M  | 2M | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-O30EXC3 | 3  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-O30TLC4 | 4  | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel      |
| XT-O30TLC5 | 5  | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel      |
| XT-O30TLC6 | 6  | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel      |

**SETTORI DI RICAMBIO / REPLACEMENT SEGMENT**

|               |    |                                                                |
|---------------|----|----------------------------------------------------------------|
| XT-SETTO30C0G | 0G | Settori di ricambio per Pos. 0G / Replacement segments Pos. 0G |
| XT-SETTO30C1G | 1G | Settori di ricambio per Pos. 1G / Replacement segments Pos. 1G |

**COME SCEGLIER IL KIT GIUSTO / HOW TO CHOOSE THE RIGTH KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6


**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

Kit granito e marmo : Pos. C0G,C1G,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO O40 R17 SP 40**

|                         |     |                                                                                   |
|-------------------------|-----|-----------------------------------------------------------------------------------|
| <b>D.MAX</b>            | 124 |  |
| <b>D.MIN</b>            | 60  |                                                                                   |
| <b>H</b>                | 50  |                                                                                   |
| <b>R</b>                | 17  |                                                                                   |
|                         |     |                                                                                   |
|                         |     |                                                                                   |
|                         |     | <b>FORO STANDARD 35mm/STANDARD BORE 35mm</b>                                      |
| <b>1 inch = 25,4 mm</b> |     |                                                                                   |

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-O40C0G   | 0G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-O40C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-O40C1G   | 1G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-O40C1SSG | 1SSG | settori <b>SALDATI / WELDED</b> segments                                        |
| XT-O40C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-O40C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-O40C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|            |     |                                                                                 |
|------------|-----|---------------------------------------------------------------------------------|
| XT-O40C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-O40C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-O40EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|            |   |                                                                            |
|------------|---|----------------------------------------------------------------------------|
| XT-O40TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-O40TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-O40TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**SETTORI DI RICAMBIO / REPLACEMENT SEGMENT**

|               |    |                                                                |
|---------------|----|----------------------------------------------------------------|
| XT-SETTO40C0G | 0G | Settori di ricambio per Pos. 0G / Replacement segments Pos. 0G |
| XT-SETTO40C1G | 1G | Settori di ricambio per Pos. 1G / Replacement segments Pos. 1G |

**COME SCEGLIERE IL KIT GIUSTO / HOW TO CHOOSE THE RIGHT KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA GOLD / GOLD PROFILING SET**


Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

Kit granito e marmo : Pos. C0G,C1G,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO Q20 R9 SP 20**

|                                              |    |
|----------------------------------------------|----|
| <b>D.MAX</b>                                 | 96 |
| <b>D.MIN</b>                                 | 60 |
| <b>H</b>                                     | 36 |
| <b>R</b>                                     | 6  |
|                                              |    |
|                                              |    |
|                                              |    |
|                                              |    |
| <b>FORO STANDARD 35mm/STANDARD BORE 35mm</b> |    |
| <b>1 inch = 25,4 mm</b>                      |    |



**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-Q20C0G   | 0G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-Q20C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-Q20C1G   | 1G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-Q20C1SSG | 1SSG | settori <b>SALDATI / WELDED</b> segments                                        |
| XT-Q20C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-Q20C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-Q20C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|            |     |                                                                                 |
|------------|-----|---------------------------------------------------------------------------------|
| XT-Q20C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-Q20C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-Q20EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|            |   |                                                                            |
|------------|---|----------------------------------------------------------------------------|
| XT-Q20TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-Q20TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-Q20TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**SETTORI DI RICAMBIO / REPLACEMENT SEGMENT**

|               |    |                                                                |
|---------------|----|----------------------------------------------------------------|
| XT-SETTQ20C0G | 0G | Settori di ricambio per Pos. 0G / Replacement segments Pos. 0G |
| XT-SETTQ20C1G | 1G | Settori di ricambio per Pos. 1G / Replacement segments Pos. 1G |

**COME SCEGLIER IL KIT GIUSTO / HOW TO CHOOSE THE RIGTH KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6


**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

Kit granito e marmo : Pos. C0G,C1G,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO Q30 R13 SP 30**

|                                                                                                                                                               |     |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>D.MAX</b>                                                                                                                                                  | 110 |
| <b>D.MIN</b>                                                                                                                                                  | 60  |
| <b>H</b>                                                                                                                                                      | 42  |
| <b>R</b>                                                                                                                                                      | 10  |
|                                                                                                                                                               |     |
|                                                                                                                                                               |     |
|                                                                                                                                                               |     |
|                                                                                                                                                               |     |
|                                                                                                                                                               |     |
|  <p><b>FORO STANDARD 35mm/STANDARD BORE 35mm</b></p> <p>1 inch = 25,4 mm</p> |     |

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-Q30C0G   | 0G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-Q30C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-Q30C1G   | 1G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-Q30C1SSG | 1SSG | settori <b>SALDATI / WELDED</b> segments                                        |
| XT-Q30C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-Q30C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-Q30C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|            |     |                                                                                 |
|------------|-----|---------------------------------------------------------------------------------|
| XT-Q30C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-Q30C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-Q30EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|            |   |                                                                            |
|------------|---|----------------------------------------------------------------------------|
| XT-Q30TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-Q30TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-Q30TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**SETTORI DI RICAMBIO / REPLACEMENT SEGMENT**

|               |    |                                                                |
|---------------|----|----------------------------------------------------------------|
| XT-SETTQ30C0G | 0G | Settori di ricambio per Pos. 0G / Replacement segments Pos. 0G |
| XT-SETTQ30C1G | 1G | Settori di ricambio per Pos. 1G / Replacement segments Pos. 1G |

**COME SCEGLIER IL KIT GIUSTO / HOW TO CHOOSE THE RIGH KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6


**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

Kit granito e marmo : Pos. C0G,C1G,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO RM30 R30 SP 30**

|              |    |                                                                                   |
|--------------|----|-----------------------------------------------------------------------------------|
| <b>D.MAX</b> | 72 |  |
| <b>D.MIN</b> | 60 |                                                                                   |
| <b>H</b>     | 50 |                                                                                   |
| <b>R</b>     | 30 |                                                                                   |
|              |    |                                                                                   |
|              |    |                                                                                   |

**FORO STANDARD 35mm/STANDARD BORE 35mm**

1 inch = 25,4 mm

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|              |      |                                                                       |
|--------------|------|-----------------------------------------------------------------------|
| XT-RM30C0SSG | 0SSG | settori sinterizzati <b>SALDATI</b> / <b>WELDED</b> sintered segments |
|--------------|------|-----------------------------------------------------------------------|

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|              |      |                                                                                 |
|--------------|------|---------------------------------------------------------------------------------|
| XT-RM30C1SSG | 1SSG | settori <b>SALDATI</b> / <b>WELDED</b> segments                                 |
| XT-RM30C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-RM30C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-RM30C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|             |     |                                                                                 |
|-------------|-----|---------------------------------------------------------------------------------|
| XT-RM30C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-RM30C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-RM30EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|             |   |                                                                            |
|-------------|---|----------------------------------------------------------------------------|
| XT-RM30TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-RM30TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-RM30TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**COME SCEGLIER IL KIT GIUSTO / HOW TO CHOOSE THE RIGH KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO RM40 R40 SP 40**

|              |    |
|--------------|----|
| <b>D.MAX</b> | 75 |
| <b>D.MIN</b> | 60 |
| <b>H</b>     | 60 |
| <b>R</b>     | 40 |
|              |    |
|              |    |
|              |    |
|              |    |
|              |    |

**FORO STANDARD 35mm/STANDARD BORE 35mm**

1 inch = 25,4 mm

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|              |      |                                                                       |
|--------------|------|-----------------------------------------------------------------------|
| XT-RM40C0SSG | 0SSG | settori sinterizzati <b>SALDATI</b> / <b>WELDED</b> sintered segments |
|--------------|------|-----------------------------------------------------------------------|

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|              |      |                                                                                 |
|--------------|------|---------------------------------------------------------------------------------|
| XT-RM40C1SSG | 1SSG | settori <b>SALDATI</b> / <b>WELDED</b> segments                                 |
| XT-RM40C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-RM40C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-RM40C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|             |     |                                                                                 |
|-------------|-----|---------------------------------------------------------------------------------|
| XT-RM40C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-RM40C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-RM40EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|             |   |                                                                            |
|-------------|---|----------------------------------------------------------------------------|
| XT-RM40TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-RM40TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-RM40TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**COME SCEGLIER IL KIT GIUSTO / HOW TO CHOOSE THE RIGH KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6


**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO T20 R3 SP 20**

|              |    |
|--------------|----|
| <b>D.MAX</b> | 80 |
| <b>D.MIN</b> | 60 |
| <b>H</b>     | 42 |
| <b>R</b>     | 3  |
|              |    |
|              |    |
|              |    |
|              |    |



**FORO STANDARD 35mm/STANDARD BORE 35mm**

**1 inch = 25,4 mm**

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|               |      |                                                                       |
|---------------|------|-----------------------------------------------------------------------|
| XT-T20R3C0SSG | 0SSG | settori sinterizzati <b>SALDATI</b> / <b>WELDED</b> sintered segments |
|---------------|------|-----------------------------------------------------------------------|

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|               |      |                                                                                 |
|---------------|------|---------------------------------------------------------------------------------|
| XT-T20R3C1SSG | 1SSG | settori sinterizzati <b>SALDATI</b> / <b>WELDED</b> sintered segments           |
| XT-T20R3C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-T20R3C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-T20R3C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|              |     |                                                                                 |
|--------------|-----|---------------------------------------------------------------------------------|
| XT-T20R3C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-T20R3C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-T20R3EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUETIME / POLISHING WHEELS TRUETIME**

|              |   |                                                                            |
|--------------|---|----------------------------------------------------------------------------|
| XT-T20R3TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-T20R3TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-T20R3TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**COME SCEGLIERE IL KIT GIUSTO / HOW TO CHOOSE THE RIGHT KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6


**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO T20 R5 SP 20**

|              |    |
|--------------|----|
| <b>D.MAX</b> | 80 |
| <b>D.MIN</b> | 60 |
| <b>H</b>     | 42 |
| <b>R</b>     | 5  |
|              |    |
|              |    |
|              |    |
|              |    |



**FORO STANDARD 35mm/STANDARD BORE 35mm**

**1 inch = 25,4 mm**

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|             |      |                                                                       |
|-------------|------|-----------------------------------------------------------------------|
| XT-T30C0SSG | 0SSG | settori sinterizzati <b>SALDATI</b> / <b>WELDED</b> sintered segments |
|-------------|------|-----------------------------------------------------------------------|

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-T30C1SSG | 1SSG | settori sinterizzati <b>SALDATI</b> / <b>WELDED</b> sintered segments           |
| XT-T20C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-T20C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-T20C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|            |     |                                                                                 |
|------------|-----|---------------------------------------------------------------------------------|
| XT-T20C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-T20C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-T20EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|            |   |                                                                            |
|------------|---|----------------------------------------------------------------------------|
| XT-T20TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-T20TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-T20TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**COME SCEGLIER IL KIT GIUSTO / HOW TO CHOOSE THE RIGH KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**


Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO T30 R3 SP 30**

|              |    |                                                                                   |
|--------------|----|-----------------------------------------------------------------------------------|
| <b>D.MAX</b> | 74 |  |
| <b>D.MIN</b> | 60 |                                                                                   |
| <b>H</b>     | 46 |                                                                                   |
| <b>R</b>     | 3  |                                                                                   |
|              |    |                                                                                   |
|              |    |                                                                                   |
|              |    |                                                                                   |

**FORO STANDARD 35mm/STANDARD BORE 35mm**

1 inch = 25,4 mm

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|               |      |                                                                                 |
|---------------|------|---------------------------------------------------------------------------------|
| XT-T30R3C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |
| XT-T30R3C0MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|               |      |                                                                                 |
|---------------|------|---------------------------------------------------------------------------------|
| XT-T30R3C1SSG | 1SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |
| XT-T30R3C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-T30R3C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-T30R3C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|              |     |                                                                                 |
|--------------|-----|---------------------------------------------------------------------------------|
| XT-T30R3C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-T30R3C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-T30R3EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|              |   |                                                                            |
|--------------|---|----------------------------------------------------------------------------|
| XT-T30R3TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-T30R3TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-T30R3TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**COME SCEGLIER IL KIT GIUSTO / HOW TO CHOOSE THE RIGH KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6


**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO T30 R5 SP 30**

|              |    |
|--------------|----|
| <b>D.MAX</b> | 80 |
| <b>D.MIN</b> | 60 |
| <b>H</b>     | 46 |
| <b>R</b>     | 5  |
|              |    |
|              |    |
|              |    |
|              |    |



**FORO STANDARD 35mm/STANDARD BORE 35mm**

1 inch = 25,4 mm

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-T30C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |
| XT-T30C0MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-T30C1SSG | 1SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |
| XT-T30C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-T30C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-T30C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|            |     |                                                                                 |
|------------|-----|---------------------------------------------------------------------------------|
| XT-T30C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-T30C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-T30EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|            |   |                                                                            |
|------------|---|----------------------------------------------------------------------------|
| XT-T30TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-T30TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-T30TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**COME SCEGLIERE IL KIT GIUSTO / HOW TO CHOOSE THE RIGHT KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**


Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO T30 R10 SP 30**

|              |    |                                                                                   |
|--------------|----|-----------------------------------------------------------------------------------|
| <b>D.MAX</b> | 90 |  |
| <b>D.MIN</b> | 60 |                                                                                   |
| <b>H</b>     | 46 |                                                                                   |
| <b>R</b>     | 10 |                                                                                   |
|              |    |                                                                                   |
|              |    |                                                                                   |
|              |    | <b>FORO STANDARD 35mm/STANDARD BORE 35mm</b>                                      |
|              |    | <b>1 inch = 25,4 mm</b>                                                           |

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|                |      |                                                                                 |
|----------------|------|---------------------------------------------------------------------------------|
| XT-T30R10C0G   | 0G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-T30R10C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|                |      |                                                                                 |
|----------------|------|---------------------------------------------------------------------------------|
| XT-T30R10C1G   | 1G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-T30R10C1SSG | 1SSG | settori <b>SALDATI / WELDED</b> segments                                        |
| XT-T30R10C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-T30R10C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-T30R10C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|               |     |                                                                                 |
|---------------|-----|---------------------------------------------------------------------------------|
| XT-T30R10C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-T30R10C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-T30R10EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|               |   |                                                                            |
|---------------|---|----------------------------------------------------------------------------|
| XT-T30R10TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-T30R10TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-T30R10TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**SETTORI DI RICAMBIO / REPLACEMENT SEGMENT**

|                  |    |                                                                |
|------------------|----|----------------------------------------------------------------|
| XT-SETTT30R10C0G | 0G | Settori di ricambio per Pos. 0G / Replacement segments Pos. 0G |
| XT-SETTT30R10C1G | 1G | Settori di ricambio per Pos. 1G / Replacement segments Pos. 1G |

**COME SCEGLIERE IL KIT GIUSTO / HOW TO CHOOSE THE RIGHT KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA GOLD / GOLD PROFILING SET**


Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

Kit granito e marmo : Pos. C0G,C1G,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO T40 R3 SP 40**

|              |    |
|--------------|----|
| <b>D.MAX</b> | 80 |
| <b>D.MIN</b> | 60 |
| <b>H</b>     | 54 |
| <b>R</b>     | 3  |
|              |    |
|              |    |
|              |    |
|              |    |



**FORO STANDARD 35mm/STANDARD BORE 35mm**

1 inch = 25,4 mm

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|               |      |                                                                |
|---------------|------|----------------------------------------------------------------|
| XT-T40R3C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments |
|---------------|------|----------------------------------------------------------------|

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|               |      |                                                                                 |
|---------------|------|---------------------------------------------------------------------------------|
| XT-T40R3C1SSG | 1SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |
| XT-T40R3C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-T40R3C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-T40R3C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|              |     |                                                                                 |
|--------------|-----|---------------------------------------------------------------------------------|
| XT-T40R3C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-T40R3C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-T40R3EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|              |   |                                                                            |
|--------------|---|----------------------------------------------------------------------------|
| XT-T40R3TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-T40R3TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-T40R3TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**COME SCEGLIER IL KIT GIUSTO / HOW TO CHOOSE THE RIGH KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**


Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO T40 R5 SP 40**

|              |    |                                                                                   |
|--------------|----|-----------------------------------------------------------------------------------|
| <b>D.MAX</b> | 80 |  |
| <b>D.MIN</b> | 60 |                                                                                   |
| <b>H</b>     | 54 |                                                                                   |
| <b>R</b>     | 5  |                                                                                   |
|              |    |                                                                                   |
|              |    |                                                                                   |
|              |    |                                                                                   |
|              |    | <b>FORO STANDARD 35mm/STANDARD BORE 35mm</b>                                      |
|              |    | <b>1 inch = 25,4 mm</b>                                                           |

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|             |      |                                                                       |
|-------------|------|-----------------------------------------------------------------------|
| XT-T40C0SSG | 0SSG | settori sinterizzati <b>SALDATI</b> / <b>WELDED</b> sintered segments |
|-------------|------|-----------------------------------------------------------------------|

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-T40C1SSG | 1SSG | settori sinterizzati <b>SALDATI</b> / <b>WELDED</b> sintered segments           |
| XT-T40C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-T40C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-T40C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|            |     |                                                                                 |
|------------|-----|---------------------------------------------------------------------------------|
| XT-T40C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-T40C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-T40EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|            |   |                                                                            |
|------------|---|----------------------------------------------------------------------------|
| XT-T40TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-T40TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-T40TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**COME SCEGLIER IL KIT GIUSTO / HOW TO CHOOSE THE RIGH KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**


Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO T40 R10 SP 40**

|              |    |                                                                                   |
|--------------|----|-----------------------------------------------------------------------------------|
| <b>D.MAX</b> | 90 |  |
| <b>D.MIN</b> | 60 |                                                                                   |
| <b>H</b>     | 54 |                                                                                   |
| <b>R</b>     | 10 |                                                                                   |
|              |    |                                                                                   |
|              |    |                                                                                   |
|              |    | <b>FORO STANDARD 35mm/STANDARD BORE 35mm</b>                                      |
|              |    | <b>1 inch = 25,4 mm</b>                                                           |

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|                |      |                                                                                 |
|----------------|------|---------------------------------------------------------------------------------|
| XT-T40R10C0G   | 0G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-T40R10C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|                |      |                                                                                 |
|----------------|------|---------------------------------------------------------------------------------|
| XT-T40R10C1G   | 1G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-T40R10C1SSG | 1SSG | settori <b>SALDATI / WELDED</b> segments                                        |
| XT-T40R10C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-T40R10C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-T40R10C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|               |     |                                                                                 |
|---------------|-----|---------------------------------------------------------------------------------|
| XT-T40R10C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-T40R10C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-T40R10EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUETIME / POLISHING WHEELS TRUETIME**

|               |   |                                                                            |
|---------------|---|----------------------------------------------------------------------------|
| XT-T40R10TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-T40R10TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-T40R10TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**SETTORI DI RICAMBIO / REPLACEMENT SEGMENT**

|                  |    |                                                                |
|------------------|----|----------------------------------------------------------------|
| XT-SETTT40R10C0G | 0G | Settori di ricambio per Pos. 0G / Replacement segments Pos. 0G |
| XT-SETTT40R10C1G | 1G | Settori di ricambio per Pos. 1G / Replacement segments Pos. 1G |

**COME SCEGLIERE IL KIT GIUSTO / HOW TO CHOOSE THE RIGHT KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6


**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

Kit granito e marmo : Pos. C0G,C1G,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO T40 R15 SP 40**

|              |    |                                                                                   |
|--------------|----|-----------------------------------------------------------------------------------|
| <b>D.MAX</b> | 95 |  |
| <b>D.MIN</b> | 60 |                                                                                   |
| <b>H</b>     | 54 |                                                                                   |
| <b>R</b>     | 15 |                                                                                   |
|              |    |                                                                                   |
|              |    |                                                                                   |
|              |    | <b>FORO STANDARD 35mm/STANDARD BORE 35mm</b>                                      |
|              |    | <b>1 inch = 25,4 mm</b>                                                           |

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|                |      |                                                                                 |
|----------------|------|---------------------------------------------------------------------------------|
| XT-T40R15C0G   | 0G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-T40R15C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|                |      |                                                                                 |
|----------------|------|---------------------------------------------------------------------------------|
| XT-T40R15C1G   | 1G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-T40R15C1SSG | 1SSG | settori <b>SALDATI / WELDED</b> segments                                        |
| XT-T40R15C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-T40R15C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-T40R15C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|               |     |                                                                                 |
|---------------|-----|---------------------------------------------------------------------------------|
| XT-T40R15C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-T40R15C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-T40R15EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|               |   |                                                                            |
|---------------|---|----------------------------------------------------------------------------|
| XT-T40R15TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-T40R15TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-T40R15TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**SETTORI DI RICAMBIO / REPLACEMENT SEGMENT**

|                  |    |                                                                |
|------------------|----|----------------------------------------------------------------|
| XT-SETTT40R15C0G | 0G | Settori di ricambio per Pos. 0G / Replacement segments Pos. 0G |
| XT-SETTT40R15C1G | 1G | Settori di ricambio per Pos. 1G / Replacement segments Pos. 1G |

**COME SCEGLIERE IL KIT GIUSTO / HOW TO CHOOSE THE RIGHT KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA GOLD / GOLD PROFILING SET**


Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

Kit granito e marmo : Pos. C0G,C1G,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO V20 R10 SP 20**

|              |    |
|--------------|----|
| <b>D.MAX</b> | 84 |
| <b>D.MIN</b> | 60 |
| <b>H</b>     | 36 |
| <b>R</b>     | 10 |
|              |    |
|              |    |
|              |    |
|              |    |
|              |    |



**FORO STANDARD 35mm/STANDARD BORE 35mm**

**1 inch = 25,4 mm**

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-V20C0G   | 0G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-V20C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-V20C1G   | 1G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-V20C1SSG | 1SSG | settori <b>SALDATI / WELDED</b> segments                                        |
| XT-V20C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-V20C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-V20C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|            |     |                                                                                 |
|------------|-----|---------------------------------------------------------------------------------|
| XT-V20C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-V20C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-V20EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|            |   |                                                                            |
|------------|---|----------------------------------------------------------------------------|
| XT-V20TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-V20TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-V20TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**SETTORI DI RICAMBIO / REPLACEMENT SEGMENT**

|               |    |                                                                |
|---------------|----|----------------------------------------------------------------|
| XT-SETTV20C0G | 0G | Settori di ricambio per Pos. 0G / Replacement segments Pos. 0G |
| XT-SETTV20C1G | 1G | Settori di ricambio per Pos. 1G / Replacement segments Pos. 1G |

**COME SCEGLIERE IL KIT GIUSTO / HOW TO CHOOSE THE RIGHT KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

Kit granito e marmo : Pos. C0G,C1G,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO V25 R12,5 SP 25**

|              |      |
|--------------|------|
| <b>D.MAX</b> | 89   |
| <b>D.MIN</b> | 60   |
| <b>H</b>     | 36   |
| <b>R</b>     | 12,5 |
|              |      |
|              |      |
|              |      |
|              |      |
|              |      |

**FORO STANDARD 35mm/STANDARD BORE 35mm**

1 inch = 25,4 mm

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-V25C0G   | 0G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-V25C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-V25C1G   | 1G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-V25C1SSG | 1SSG | settori <b>SALDATI / WELDED</b> segments                                        |
| XT-V25C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-V25C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-V25C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|            |     |                                                                                 |
|------------|-----|---------------------------------------------------------------------------------|
| XT-V25C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-V25C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-V25EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|            |   |                                                                            |
|------------|---|----------------------------------------------------------------------------|
| XT-V25TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-V25TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-V25TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**SETTORI DI RICAMBIO / REPLACEMENT SEGMENT**

|               |    |                                                                |
|---------------|----|----------------------------------------------------------------|
| XT-SETTV25C0G | 0G | Settori di ricambio per Pos. 0G / Replacement segments Pos. 0G |
| XT-SETTV25C1G | 1G | Settori di ricambio per Pos. 1G / Replacement segments Pos. 1G |

**COME SCEGLIERE IL KIT GIUSTO / HOW TO CHOOSE THE RIGHT KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

Kit granito e marmo : Pos. C0G,C1G,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO V27 R13,5 SP 27**

|              |      |
|--------------|------|
| <b>D.MAX</b> | 90   |
| <b>D.MIN</b> | 60   |
| <b>H</b>     | 46   |
| <b>R</b>     | 13,5 |
|              |      |
|              |      |
|              |      |
|              |      |
|              |      |
|              |      |

**FORO STANDARD 35mm/STANDARD BORE 35mm**

1 inch = 25,4 mm

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-V27C0G   | 0G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-V27C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-V27C1G   | 1G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-V27C1SSG | 1SSG | settori <b>SALDATI / WELDED</b> segments                                        |
| XT-V27C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-V27C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-V27C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|            |     |                                                                                 |
|------------|-----|---------------------------------------------------------------------------------|
| XT-V27C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-V27C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-V27EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|            |   |                                                                            |
|------------|---|----------------------------------------------------------------------------|
| XT-V27TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-V27TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-V27TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**SETTORI DI RICAMBIO / REPLACEMENT SEGMENT**

|               |    |                                                                |
|---------------|----|----------------------------------------------------------------|
| XT-SETTV27C0G | 0G | Settori di ricambio per Pos. 0G / Replacement segments Pos. 0G |
| XT-SETTV27C1G | 1G | Settori di ricambio per Pos. 1G / Replacement segments Pos. 1G |

**COME SCEGLIERE IL KIT GIUSTO / HOW TO CHOOSE THE RIGHT KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA GOLD / GOLD PROFILING SET**


Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

Kit granito e marmo : Pos. C0G,C1G,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO V30 R15 SP 30**

|              |    |
|--------------|----|
| <b>D.MAX</b> | 94 |
| <b>D.MIN</b> | 60 |
| <b>H</b>     | 46 |
| <b>R</b>     | 15 |
|              |    |
|              |    |
|              |    |
|              |    |



**FORO STANDARD 35mm/STANDARD BORE 35mm**

1 inch = 25,4 mm

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-V30C0G   | 0G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-V30C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-V30C1G   | 1G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-V30C1SSG | 1SSG | settori <b>SALDATI / WELDED</b> segments                                        |
| XT-V30C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-V30C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-V30C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|            |     |                                                                                 |
|------------|-----|---------------------------------------------------------------------------------|
| XT-V30C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-V30C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-V30EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|            |   |                                                                            |
|------------|---|----------------------------------------------------------------------------|
| XT-V30TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-V30TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-V30TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**SETTORI DI RICAMBIO / REPLACEMENT SEGMENT**

|               |    |                                                                |
|---------------|----|----------------------------------------------------------------|
| XT-SETTV30C0G | 0G | Settori di ricambio per Pos. 0G / Replacement segments Pos. 0G |
| XT-SETTV30C1G | 1G | Settori di ricambio per Pos. 1G / Replacement segments Pos. 1G |

**COME SCEGLIER IL KIT GIUSTO / HOW TO CHOOSE THE RIGH KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA GOLD / GOLD PROFILING SET**


Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

Kit granito e marmo : Pos. C0G,C1G,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO V32 R16 SP 32**

|              |      |
|--------------|------|
| <b>D.MAX</b> | 94   |
| <b>D.MIN</b> | 60   |
| <b>H</b>     | 46   |
| <b>R</b>     | 15,3 |
|              |      |
|              |      |
|              |      |
|              |      |
|              |      |



**FORO STANDARD 35mm/STANDARD BORE 35mm**

**1 inch = 25,4 mm**

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-V32C0G   | 0G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-V32C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-V32C1G   | 1G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-V32C1SSG | 1SSG | settori <b>SALDATI / WELDED</b> segments                                        |
| XT-V32C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-V32C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-V32C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|            |     |                                                                                 |
|------------|-----|---------------------------------------------------------------------------------|
| XT-V32C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-V32C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-V32EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|            |   |                                                                            |
|------------|---|----------------------------------------------------------------------------|
| XT-V32TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-V32TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-V32TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**SETTORI DI RICAMBIO / REPLACEMENT SEGMENT**

|               |    |                                                                |
|---------------|----|----------------------------------------------------------------|
| XT-SETTV32C0G | 0G | Settori di ricambio per Pos. 0G / Replacement segments Pos. 0G |
| XT-SETTV32C1G | 1G | Settori di ricambio per Pos. 1G / Replacement segments Pos. 1G |

**COME SCEGLIERE IL KIT GIUSTO / HOW TO CHOOSE THE RIGHT KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6


**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

Kit granito e marmo : Pos. C0G,C1G,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO V40 R20 SP 40**

|              |     |                                                                                   |
|--------------|-----|-----------------------------------------------------------------------------------|
| <b>D.MAX</b> | 104 |  |
| <b>D.MIN</b> | 60  |                                                                                   |
| <b>H</b>     | 54  |                                                                                   |
| <b>R</b>     | 20  |                                                                                   |
|              |     |                                                                                   |
|              |     |                                                                                   |
|              |     | <b>FORO STANDARD 35mm/STANDARD BORE 35mm</b>                                      |
|              |     | <b>1 inch = 25,4 mm</b>                                                           |

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-V40C0G   | 0G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-V40C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-V40C1G   | 1G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-V40C1SSG | 1SSG | settori <b>SALDATI / WELDED</b> segments                                        |
| XT-V40C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-V40C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-V40C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|            |     |                                                                                 |
|------------|-----|---------------------------------------------------------------------------------|
| XT-V40C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-V40C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-V40EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|            |   |                                                                            |
|------------|---|----------------------------------------------------------------------------|
| XT-V40TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-V40TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-V40TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**SETTORI DI RICAMBIO / REPLACEMENT SEGMENT**

|               |    |                                                                |
|---------------|----|----------------------------------------------------------------|
| XT-SETTV40C0G | 0G | Settori di ricambio per Pos. 0G / Replacement segments Pos. 0G |
| XT-SETTV40C1G | 1G | Settori di ricambio per Pos. 1G / Replacement segments Pos. 1G |

**COME SCEGLIERE IL KIT GIUSTO / HOW TO CHOOSE THE RIGHT KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA GOLD / GOLD PROFILING SET**


Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

Kit granito e marmo : Pos. C0G,C1G,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO V50 R25 SP 50**

|              |     |
|--------------|-----|
| <b>D.MAX</b> | 114 |
| <b>D.MIN</b> | 60  |
| <b>H</b>     | 60  |
| <b>R</b>     | 25  |
|              |     |
|              |     |
|              |     |
|              |     |



**FORO STANDARD 35mm/STANDARD BORE 35mm**

1 inch = 25,4 mm

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-V50C0G   | 0G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-V50C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-V50C1G   | 1G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-V50C1SSG | 1SSG | settori <b>SALDATI / WELDED</b> segments                                        |
| XT-V50C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-V50C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-V50C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|            |     |                                                                                 |
|------------|-----|---------------------------------------------------------------------------------|
| XT-V50C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-V50C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-V50EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|            |   |                                                                            |
|------------|---|----------------------------------------------------------------------------|
| XT-V50TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-V50TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-V50TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**SETTORI DI RICAMBIO / REPLACEMENT SEGMENT**

|               |    |                                                                |
|---------------|----|----------------------------------------------------------------|
| XT-SETTV50C0G | 0G | Settori di ricambio per Pos. 0G / Replacement segments Pos. 0G |
| XT-SETTV50C1G | 1G | Settori di ricambio per Pos. 1G / Replacement segments Pos. 1G |

**COME SCEGLIER IL KIT GIUSTO / HOW TO CHOOSE THE RIGTH KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6


**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

Kit granito e marmo : Pos. C0G,C1G,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO V60 R30 SP 60**

|              |     |                                                                                   |
|--------------|-----|-----------------------------------------------------------------------------------|
| <b>D.MAX</b> | 124 |  |
| <b>D.MIN</b> | 60  |                                                                                   |
| <b>H</b>     | 70  |                                                                                   |
| <b>R</b>     | 30  |                                                                                   |
|              |     |                                                                                   |
|              |     |                                                                                   |
|              |     | <b>FORO STANDARD 35mm/STANDARD BORE 35mm</b>                                      |
|              |     | <b>1 inch = 25,4 mm</b>                                                           |

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-V60C0G   | 0G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-V60C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-V60C1G   | 1G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-V60C1SSG | 1SSG | settori <b>SALDATI / WELDED</b> segments                                        |
| XT-V60C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-V60C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-V60C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|            |     |                                                                                 |
|------------|-----|---------------------------------------------------------------------------------|
| XT-V60C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-V60C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-V60EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|            |   |                                                                            |
|------------|---|----------------------------------------------------------------------------|
| XT-V60TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-V60TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-V60TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**SETTORI DI RICAMBIO / REPLACEMENT SEGMENT**

|               |    |                                                                |
|---------------|----|----------------------------------------------------------------|
| XT-SETTV60C0G | 0G | Settori di ricambio per Pos. 0G / Replacement segments Pos. 0G |
| XT-SETTV60C1G | 1G | Settori di ricambio per Pos. 1G / Replacement segments Pos. 1G |

**COME SCEGLIERE IL KIT GIUSTO / HOW TO CHOOSE THE RIGHT KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6


**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

Kit granito e marmo : Pos. C0G,C1G,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO V80 R40 SP 80**

|                         |     |                                                                                   |
|-------------------------|-----|-----------------------------------------------------------------------------------|
| <b>D.MAX</b>            | 134 |  |
| <b>D.MIN</b>            | 60  |                                                                                   |
| <b>H</b>                | 90  |                                                                                   |
| <b>R</b>                | 40  |                                                                                   |
|                         |     |                                                                                   |
|                         |     |                                                                                   |
|                         |     | <b>FORO STANDARD 35mm/STANDARD BORE 35mm</b>                                      |
| <b>1 inch = 25,4 mm</b> |     |                                                                                   |

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-V80C0G   | 0G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-V80C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-V80C1G   | 1G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-V80C1SSG | 1SSG | settori <b>SALDATI / WELDED</b> segments                                        |
| XT-V80C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-V80C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-V80C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|            |     |                                                                                 |
|------------|-----|---------------------------------------------------------------------------------|
| XT-V80C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-V80C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-V80EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUETIME / POLISHING WHEELS TRUETIME**

|            |   |                                                                            |
|------------|---|----------------------------------------------------------------------------|
| XT-V80TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-V80TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-V80TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**SETTORI DI RICAMBIO / REPLACEMENT SEGMENT**

|               |    |                                                                |
|---------------|----|----------------------------------------------------------------|
| XT-SETTV80C0G | 0G | Settori di ricambio per Pos. 0G / Replacement segments Pos. 0G |
| XT-SETTV80C1G | 1G | Settori di ricambio per Pos. 1G / Replacement segments Pos. 1G |

**COME SCEGLIERE IL KIT GIUSTO / HOW TO CHOOSE THE RIGHT KIT**

**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6


**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

Kit granito e marmo : Pos. C0G,C1G,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO Z20 SP 20**

|              |    |                                                                                   |
|--------------|----|-----------------------------------------------------------------------------------|
| <b>D.MAX</b> | 92 |  |
| <b>D.MIN</b> | 60 |                                                                                   |
| <b>H</b>     | 42 |                                                                                   |
| <b>R A</b>   | 10 |                                                                                   |
| <b>R B</b>   | 2  |                                                                                   |
|              |    |                                                                                   |
|              |    | <b>FORO STANDARD 35mm/STANDARD BORE 35mm</b><br><b>1 inch = 25,4 mm</b>           |

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-Z20C0G   | 0G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-Z20C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-Z20C1G   | 1G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-Z20C1SSG | 1SSG | settori <b>SALDATI / WELDED</b> segments                                        |
| XT-Z20C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-Z20C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-Z20C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|            |     |                                                                                 |
|------------|-----|---------------------------------------------------------------------------------|
| XT-Z20C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-Z20C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-Z20EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|            |   |                                                                            |
|------------|---|----------------------------------------------------------------------------|
| XT-Z20TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-Z20TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-Z20TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**SETTORI DI RICAMBIO / REPLACEMENT SEGMENT**

|               |    |                                                                |
|---------------|----|----------------------------------------------------------------|
| XT-SETTZ20C0G | 0G | Settori di ricambio per Pos. 0G / Replacement segments Pos. 0G |
| XT-SETTZ20C1G | 1G | Settori di ricambio per Pos. 1G / Replacement segments Pos. 1G |

**COME SCEGLIERE IL KIT GIUSTO / HOW TO CHOOSE THE RIGHT KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

Kit granito e marmo : Pos. C0G,C1G,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO Z30 SP 30**

|              |     |  |
|--------------|-----|--|
| <b>D.MAX</b> | 108 |  |
| <b>D.MIN</b> | 60  |  |
| <b>H</b>     | 42  |  |
| <b>R A</b>   | 18  |  |
| <b>R B</b>   | 2   |  |
|              |     |  |
|              |     |  |
|              |     |  |
|              |     |  |

**FORO STANDARD 35mm/STANDARD BORE 35mm**

**1 inch = 25,4 mm**

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-Z30C0G   | 0G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-Z30C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-Z30C1G   | 1G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-Z30C1SSG | 1SSG | settori <b>SALDATI / WELDED</b> segments                                        |
| XT-Z30C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-Z30C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-Z30C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|            |     |                                                                                 |
|------------|-----|---------------------------------------------------------------------------------|
| XT-Z30C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-Z30C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-Z30EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|            |   |                                                                            |
|------------|---|----------------------------------------------------------------------------|
| XT-Z30TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-Z30TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-Z30TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**SETTORI DI RICAMBIO / REPLACEMENT SEGMENT**

|               |    |                                                                |
|---------------|----|----------------------------------------------------------------|
| XT-SETTZ30C0G | 0G | Settori di ricambio per Pos. 0G / Replacement segments Pos. 0G |
| XT-SETTZ30C1G | 1G | Settori di ricambio per Pos. 1G / Replacement segments Pos. 1G |

**COME SCEGLIERE IL KIT GIUSTO / HOW TO CHOOSE THE RIGHT KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6


**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

Kit granito e marmo : Pos. C0G,C1G,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**MOLE SAGOMATE CNC - CNC PROFILING WHEELS**  
**SERIE FONDO GOLA 60 / BOTTOM RELIEF 60**

**PROFILO Z40 SP 40**

|              |     |                                                                                   |
|--------------|-----|-----------------------------------------------------------------------------------|
| <b>D.MAX</b> | 116 |  |
| <b>D.MIN</b> | 60  |                                                                                   |
| <b>H</b>     | 50  |                                                                                   |
| <b>R A</b>   | 23  |                                                                                   |
| <b>R B</b>   | 2   |                                                                                   |
|              |     |                                                                                   |
|              |     | <b>FORO STANDARD 35mm/STANDARD BORE 35mm</b>                                      |

1 inch = 25,4 mm

**MOLE PER PRETAGLIO POS 0 / PRECUT WHEELS POS 0**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-Z40C0G   | 0G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-Z40C0SSG | 0SSG | settori sinterizzati <b>SALDATI / WELDED</b> sintered segments                  |

**MOLE PER SGROSSATURA POS 1 / GRINDING WHEELS POS 1**

|             |      |                                                                                 |
|-------------|------|---------------------------------------------------------------------------------|
| XT-Z40C1G   | 1G   | settori sinterizzati <b>INTERCAMBIABILI / INTERCHANGEABLE</b> sintered segments |
| XT-Z40C1SSG | 1SSG | settori <b>SALDATI / WELDED</b> segments                                        |
| XT-Z40C1MG  | 1MG  | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-Z40C1MP  | 1MP  | <b>ELETTRODEPOSTA</b> Peperino / <b>ELECTROPLATED</b> Peperino                  |
| XT-Z40C1M   | 1M   | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |

**MOLE PER LISCIATURA / FINISHING WHEELS**

|            |     |                                                                                 |
|------------|-----|---------------------------------------------------------------------------------|
| XT-Z40C2MG | 2MG | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |
| XT-Z40C2M  | 2M  | <b>ELETTRODEPOSTA</b> marmo / <b>ELECTROPLATED</b> marble                       |
| XT-Z40EXC3 | 3   | <b>ELETTRODEPOSTA</b> marmo e granito / <b>ELECTROPLATED</b> marble and granite |

**MOLE PER LUCIDATURA TRUELIFE / POLISHING WHEELS TRUELIFE**

|            |   |                                                                            |
|------------|---|----------------------------------------------------------------------------|
| XT-Z40TLC4 | 4 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-Z40TLC5 | 5 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |
| XT-Z40TLC6 | 6 | Mola lucidante a tecnologia avanzata / Advanced technology polishing wheel |

**SETTORI DI RICAMBIO / REPLACEMENT SEGMENT**

|               |    |                                                                |
|---------------|----|----------------------------------------------------------------|
| XT-SETTZ40C0G | 0G | Settori di ricambio per Pos. 0G / Replacement segments Pos. 0G |
| XT-SETTZ40C1G | 1G | Settori di ricambio per Pos. 1G / Replacement segments Pos. 1G |

**COME SCEGLIERE IL KIT GIUSTO / HOW TO CHOOSE THE RIGHT KIT**  
**SET PROFILATURA BASE / BASIC PROFILING SET**

Kit marmo : Pos. C1M,C2M,EXC3,TLC4,TLC5,TLC6

Kit granito : Pos. C1SSG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA SILVER / SILVER PROFILING SET**

Kit granito e marmo : Pos. C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

**SET PROFILATURA GOLD / GOLD PROFILING SET**

Kit granito e marmo : Pos. C0SSG,C1SSG,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6

Kit granito e marmo : Pos. C0G,C1G,C1MG,C2MG,EXC3,TLC4,TLC5,TLC6